


# NAVAL POSTGRADUATE SCHOOL Monterey, California

DTIC FILE COPY



**THESIS** 



A FLOW VISUALIZATION STUDY OF LAMINAR/TURBULENT TRANSITION IN A CURVED CHANNEL

by

Marc A. Siedband
March 1987

Thesis Advisor:

Phillip M. Ligrani

Approved for public release; distribution is unlimited.

REPORT DOCUMENTATION PAGE								
13 REPORT SECURITY CLASSIFICATION UNCLASSIFIED			16 RESTRICTIVE MARKINGS					
28 SECURITY CLASSIFICATION AUTHORITY				3 DISTRIBUTION	Y/AVAILABILITY (	OF REPC	)R <sup>†</sup>	
25 DECLASSI	SICATION / DOX	WNGRADING SCHEDU	n 6		for public a	relea	se; dis	tribution
20 0000				is unlimit	:ed			
4 PERFORMING ORGANIZATION REPORT NUMBER(S)			5 MONITORING	5 MONITORING ORGANIZATION REPORT NUMBER(S)				
60 NAME OF	PERFORMING	ORGANIZATION	66 OFFICE SYMBOL	78 NAME OF M	ONITORING ORGA	ANIZATI	ON	
Naval	Postgrad	luate Schoo	(if applicable)  Code 69	Naval Postgraduate School				
6c ADDRESS	(City, State, an	d ZIP Code)		7b ADDRESS (City, State, and 2IP Code)				
Monter	ey, Cali	ifornia 93	943-5000	Monterey, California 93943-5000				
	FUNDING / SPC	ONSORING	86 OFFICE SYMBOL	9 PROCUREMEN	IT INSTRUMENT IC	DENTIFIC	ATION NU	MBER
ORGANIZA Propulsi	ation .on Direct	orate	(If applicable)	MIPR No.	C-80019-F			
<u> </u>	City, State, and			10 SOURCE OF	FUNDING NUMBE	RS	<del></del>	<del></del>
U.S.Ar	mv Aviati	ion Res & Tecl	hnology	PROGRAM	PROJECT	TASK	· · · · ·	WORK UNIT
NASA-Lew	vity-AVS( vis Resear d. Ohio	ch Center		ELEMENT NO	NO	NO		ACCESSION NO
11 TITLE Unc	lude Security (	Classification)						
A FLOW CHANNE		IZATION STU	DY OF LAMINAR	TURBULEN	T TRANSIT	ION	IN A C	CURVED
12 PERSONAL		a						
	. Siedba	<del></del>	0).4860	14 DATE OF REPO	ORT /Year Month	Dayl	S PAGE	(A) NT
Master's Thesis			1987 Ma			126		
6 SUPPLEMENTARY NOTATION								
			\\					
17 COSATI CODES								
· · · · · · · · · · · · · · · · · · ·			ces, Taylor-Gortler Vortices, Dean					
	Number; Rectangular Curved Channel, Secondary				condary			
'9 ABSTRACT (Continue on reverse if necessary and identify by block number)								
La	minar/tu	urbulent tr	ansition was	studied a	s it occu	rs i	n a ne	ewly
constr	ucted cu	ırved chann	el of rectang	ular cros	s section	. T	he cha	annel
is 1.27 centimeters high by 50.8 centimeters wide (0.5 in. x 20 in.),								
aspect ratio of 40 to 1, with a concave surface radius of curvature of								
60.96 centimeters (24 in.). Mean velocities for air in the channel range from 1.40 to 3.89 m/sec, which corresponds to Dean number and hydraulic								
Reynolds number ranges of 167 to 461 and 2,231 to 6,173, respectively.								
Flow visualization from a smoke wire shows changes in the behavior								
and appearance of a smoke trace illuminated in the radial plane with varying Dean number and varying channel location. In some cases, these								
smoke trace patterns show distortion similar to what would be expected								
20 D STRIBUTION, AVAILABILITY OF ABSTRACT 21 ABSTRACT SECURITY CLASSIFICATION								
XX. NCLASSIFIED UNLIMITED SAME AS RPT DTIC USERS				UNCLASSIFIED				
	FRESPONSIBLE  p. M. Lic			(408) 64	(Include Area Cod		9Li	<b>₩8</b> 0€

Item 18 Cont'd

☐ Flow, Laminar Flow, Concave Curvature, Convex Curvature

Item 19 Cont'd

if pairs of counter-rotating vortices are present. A map of vortex stability as channel location and Dean number were varied was constructed from analysis of smoke trace photographs.

Ĭ	Acces	sion For			
Ì	NTIS	GRA&I			
ļ	DTIC	TAB 🗇			
- [		ounced			
1	Justi	fication			
	Ву				
ĺ		ibution/			
	Availability Codes				
		Avail and/or			
	Dist	Special			
	1	1			
		.]			
	14-1	/			
	X				
	TIC )				
/ '	, or in				
(	©OPY				
(	1				

5 N 0102- LF- 014- 6601

CONTRACTOR OF THE PROPERTY OF

# Approved for public release; distribution is unlimited

A Flow Visualization Study of Laminar/Turbulent Transition in a Curved Channel

bу

Marc A. Siedband Lieutenant Commander, United States Navy B.S., United States Naval Academy, 1975

Submitted in partial fulfillment of the requirements for the degree of

MASTER OF SCIENCE IN MECHANICAL ENGINEERING

from the

NAVAL POSTGRADUATE SCHOOL March 1987

Author:	More of All
	Marc A. Siedband /
Approved by:	The last 11 Sugarios
	Philiip M. Ligrani, Thesis Advisor
•	andfled
	A. J. Healey, Chairman, Department of
	Mechanical Engineering
	JES chacker
	G. E. Schacher
	Dean of Science and Engineering

#### **ABSTRACT**

Laminar/turbulent transition was studied as it occurs in a newly constructed curved channel of rectangular cross section. The channel is 1.27 centimeters high by 50.8 centimeters wide (0.5 in. x 20 in.), aspect ratio of 40 to 1, with a concave surface radius of curvature of 60.96 centimeters (24 in.). Mean velocities for air in the channel range from 1.40 to 3.89 m/sec, which corresponds to Dean number and hydraulic Reynolds number ranges of 167 to 461 and 2,231 to 6,173, respectively.

Flow visualization from a smoke wire shows changes in the behavior and appearance of a smoke trace illuminated in the radial plane with varying Dean number and varying channel location. In some cases, these smoke trace patterns show distortion similar to what would be expected if pairs of counter-rotating vortices are present. A map of vortex stability as channel location and Dean number were varied was constructed from analysis of smoke trace photographs.

# TABLE OF CONTENTS

		TABLE OF CONTENTS	
*	τ.	INTRODUCTION1	. ]
<b>.</b>		A. BACKGROUND AND LITERATURE REVIEW1	. 1
*		B. OBJECTIVES1	. 5
		C. THESIS ORGANIZATION1	. 6
	II.	EXPERIMENTAL FACILITIES1	. 7
		A. CURVED CHANNEL1	. 7
		B. BLOWER2	6
		C. SMOKE WIRE2	6
		D. LIGHTING3	3
		E. CAMERA3	5
	III.	EXPERIMENTAL TECHNIQUE3	6
•		A. CHANNEL OPERATION3	6
		B. FLOW RATE MEASUREMENTS3	7
		C. FLOW VISUALIZATION/PHOTOGRAPHY3	7
	IV.	RESULTS4	1
		A. SMOKE TRACE VARIATION WITH DEAN NUMBER4	1
		B. STABILITY MAPS4	8
		C. FLOW VISUALIZATION, INTERPRETATION AND ANALYSIS5	0
	v.	CONCLUSIONS AND RECOMMENDATIONS5	7
	APPEND	IX A: SAMPLE CALCULATIONS5	9
	1.	DEVELOPMENT LENGTH FOR LAMINAR FLOW5	9
•	2.	SCALING CALCULATIONS6	1
v	3.	REYNOLDS NUMBER BASED ON SMOKE WIRE DIAMETER6	2
		5	
	\$ <b>\$\$\$\$\$\$</b> \$		·

	4.	ROTAME	ETER CA	LIBRATIO	)N			6
	5.	CONVER DEAN N	RTING F UMBER,	ROTAMETER AND REY	R INDICA NOLDS N	ATION TO UMBER	FLOW RATE	, 6°
APPI	ENDIX	В:	ACCURA	CY/UNCER	RTAINTY	ANALYSIS		69
APPI	ENDIX	C:	SMOKE	PATTERN	PHOTOGI	RAPHS		7:
LIST	OF	REFERE	ENCES					12:
INI	CIAL	DISTRI	BUTION	I LIST				125

# LIST OF FIGURES

1.	Schematic of Dean vortices in a curved channel	12
2.	Schematic of test facility	18
3.	Test facility (front view)	19
4.	Test facility (side view)	20
5.	Graph of inlet nozzle design	22
6.	Photograph of rotameter and orifice plate	25
7.	Duct side wall design	27
8.	Blower performance and system curves	28
9.	Schematic of smoke wire, strobe, and camera placement	29
10.	Photograph of smoke wire/strobe control system	31
11.	Smoke wire sequencing circuit timing diagram	32
12.	Photograph of strobe and collumator lens	34
13.	Rotameter calibration results	38
14a.	Smoke trace photograph sequence (De = $182$ )	43
14b.	Smoke trace photograph sequence (De = 207)	44
14c.	Smoke trace photograph sequence (De = 227)	45
14d.	Smoke trace photograph sequence (De = 237)	46
15a.	Flow stability map	49
15b.	Flow stability map indicating locations for several Appendix C photographs	51
16.	Smoke pattern photograph used in Figure 17 schematic	52
17.	Theorized effect of streamwise vortices	53
18.	Smoke pattern photograph taken farther downstream	54

grant mercenes constrain Peresponsible provides provents

# LIST OF SYMBOLS

Symbol Symbol	Meaning
A	Cross-sectional area of the channel
A <sub>2</sub>	Cross-sectional area of the orifice
d	Channel height
d <sub>w</sub>	Wire diameter
D	Pipe diameter
D <sub>h</sub>	Hydraulic diameter
De	Dean number
K	Flow coefficient
L'	Development length for laminar flow
<b>d</b>	Mass flow rate of air
P	Perimeter of the channel
P <sub>1</sub>	Pressure 1-D upstream of the orifice
P 2	Pressure 1/2 D downstream of the orifice
P atm	Atmospheric pressure
ΔΡ	Pressure change across the channel
$^{\Delta P}$ o	Pressure change across the orifice
Q	Volumetric flow rate
r <sub>i</sub>	Radius of curvature of the convex channel surface
R	Gas constant for air
Re	Reynolds number, $U1/\nu$
Re <sub>C</sub>	Reynolds number based on channel height, $\text{Ud}/_{\text{\scriptsize V}}$
Re <sub>h</sub>	Reynolds number based on hydraulic diameter, $\mbox{UD}_h/\mbox{$\vee$}$

Re <sub>w</sub>	Reynolds number based on wire diameter, $\operatorname{Ud}_{\mathbf{W}} / \nu$
Re <sub>x</sub>	Reynolds number based on distance from start of curve, $U\mathbf{x}/v$
T <sub>1</sub>	Air temperature upstream of the orifice
U	Mean streamwise velocity
$^{\mathrm{U}}$ max	Maximum streamwise velocity
x	Distance from start of curve
Y	Expansion coefficient
Γ	Vortex circulation
ν	Kinematic viscosity of air
μ	Absolute viscosity
ф	Dimensionless parameter obtained from channel aspect ratio
ρ	Air density
٥	Air density 1-D upstream of the orifice
ω	Vorticity

#### ACKNOWLEDGEMENT

The author wishes to express his appreciation to Professor Phillip M. Ligrani for his guidance throughout the execution of this project.

Special thanks are extended to model-makers Charles Crow and Willard Dames for their assistance in the assembly of the curved channel and various support equipment.

Finally, the author wishes to thank his wife Debbie and sons Michael and David for their encouragement and understanding during the course of this study.

This work was supported by the Propulsion Directorate,
U.S. Army Aviation Research and Technology Activity - AVSCOM,
located at the Lewis Research Center of NASA. Dr. Kestutis
Civinskas is the program manager.

# I. <u>INTRODUCTION</u>

## A. BACKGROUND AND LITERATURE REVIEW

Since the early part of this century, it has been well known that fully developed laminar flow along a concave wall does not maintain a simple two dimensional (i.e. parabolic) velocity profile. Instead, a series of counter-rotating vortex pairs form as a result of varying centrifugal forces acting on the fluid particles. These vortices were first considered analytically by W.R. Dean in 1928 for flow in a narrow channel formed by two concentric cylinders [Ref. 1] and are similar to ones observed by Taylor and Görtler [Refs. 2, 3]. Figure 1 [Ref. 4] is a schematic of Dean vortices in a curved channel. These vortices are known to enhance heat transfer on curved channel surfaces for both laminar and turbulent flows. Understanding such flows is expected to lead to design improvements for heat exchangers and configurations used to cool gas turbine blades and vanes.




Figure 1. Schematic of Dean vortices in a curved channel.

For a rectangular channel curved in the streamwise direction, the flow at sufficiently low Dean numbers is entirely azimuthal. This is known as slug flow or Poiseuille flow. Above a critical Dean Number (De > 36.6), pure laminar flow becomes unstable and the secondary flow discussed above occurs. This is due to the fact that fluid particles in the center of the flow profile are travelling at higher velocities and are therefore subjected to higher centrifugal forces than those closer to the walls. The faster moving particles move outward toward the concave wall, forcing the fluid particles there to move inward toward the center of the channel where velocities are higher. The process repeats itself and the Dean vortices form. (The critical Dean number and the Dean numbers discussed below are the result of computer simulations using the Navier-Stokes equations being performed at Stanford University.) As the Dean number is raised further (De > 45), the vortices oscillate at low frequency (large wavelength) as they travel in the streamwise direction. The wavelength becomes smaller up to a Dean number of about 75. At even higher Dean numbers (75 < De < 500 to 600), unpublished simulation results (presently unconfirmed by experiments) show that these vortices have an oscillatory, rocking type of motion as they are convected. Ultimately, these complex secondary flow fields break down into turbulent flow.

A brief history of earlier research into the flow and heat transfer characteristics of flow in a curved channel can be found in reference 4. The presence of Dean vortices in a curved channel of aspect ratio 40 was confirmed at the Naval Postgraduate School by R. McKee in 1973 [Ref. 5]. Modifying McKee's channel and modeling it as a pair of infinite parallel plates with the outer wall heated and the inner wall adiabatic, M. Durao and J. Ballard [Refs. 6, 7] studied the effect of Dean vortices on heat transfer for laminar flows in straight and curved rectangular channels. Research continued in 1981 by R. Holihan, Jr. [Ref.4] for laminar transition flows, S. Daughety [Ref. 8] for turbulent flows, and J. Wilson [Ref. 9] for transition and turbulent flows. Each of these studies used McKee's apparatus, which was modified each time to improve the accuracy of the results. In 1985, using a new curved channel designed for even more precise measurements, heat transfer studies by G. Galyo [Ref. 10] were conducted for turbulent flow.

Kelleher, Flentie, and McKee [Ref. 11] reported results of velocity surveys and flow visualization for the secondary flow in a curved channel half the size of the facility used in the current study. Velocity profiles were presented for Dean numbers of 79.2, 94.9, and 113.5. Flow visualization was performed using an aerosol mist (DOP) for Dean numbers of 69.3 and 77.2. It was shown that the velocity profiles on the convex side of the channel mid-plane were 180 degrees out of phase with those on the concave side. Also shown was the fact that the vortices covered the full width of the channel from

the convex to the concave wall and that channel geometry and not the Reynolds number controlled vortex size.

The numerical simulations of the Navier-Stokes equations for Taylor-Görtler vortices performed by Finlay, Keller, and Ferziger [Ref. 12] describe changes in the vortex pattern which occur as the Dean number and wave number are varied. Also obtained are the vortex strengths and growth rates of the Taylor-Gortler vortices. In addition to the results discussed in paragraph 3 above, this study also provided evidence of a small pair of secondary vortices developing adjacent to the convex wall for De = 80.0 and De = 100.0.

#### B. OBJECTIVES

PARAGON UNIVERSITATION STATES

The first objective of this investigation was to design and implement the operation of a sufficiently large curved rectangular duct to perform high quality flow visualization studies of Dean vortices. The test facility was to have the same aspect ratio (40:1) as previous investigations [Refs. 4 through 10], but with all dimensions scaled up by a factor of two. The aspect ratio is defined as the channel spanwise dimension divided by the channel height.

After the channel was in operation, the objectives were:

- to obtain information on the flow behavior at various Dean numbers and various streamwise and spanwise locations within the curved channel,
- 2. to study the development of fluid path lines produced by a smoke wire as they are distorted and convected by the flow, and
- to produce stability maps for laminar-to turbulent transition and vortex development.

The purposes of the results of the study are:

- to obtain better understanding of fluid mechanics
   phenomena which affect heat transfer in a channel where
   streamwise curvature and strong secondary flows are
   present, and
- to provide a basis of comparison and validation for computer simulations using the Navier-Stokes equations with appropriate boundary conditions.

#### C. THESIS ORGANIZATION

Subsequent to the introduction, this thesis describes the experimental facilities, detailing the specifications and characteristics of each component. Next, experimental techniques are discussed, including channel operation, flow visualization, photography, and measurement and calibration methods. Finally, experimental results and conclusions are presented.

## II. EXPERIMENTAL FACILITIES

## A. CURVED CHANNEL

A schematic of the curved channel test facility is shown in Figure 2. Figures 3 and 4 are front and side views of the actual channel.

The lip at the entry of the inlet section is constructed of quarter circumference sections of six inch outside diameter pipe. Following this is the 25.4 cm by 50.8 cm (10 in. x 20in.) rectangular inlet section, consisting of a honeycomb followed by three screens stretched across the inlet channel cross section. The screens were pulled taut prior to tightening the flange bolts. This ensured that the screens were flat and perpendicular to the flow direction. The aluminum honeycomb is 3.81 cm (1.5 in.) deep (streamwise direction) and consists of hexagonal cells approximately 0.635 cm (0.25 in.) across. The fiberglass window screen has a square weave with about 0.159 cm (0.0625 in.) between strands. These items are intended to reduce spatial non-uniformities of the air entering the nozzle, resulting in more stable laminar Distance between each screen or between the honeycomb and the next screen is approximately 10 cm (4 in.), following suggestions on design rules for small low speed wind tunnels provided in reference 13.




Figure 2. Schematic of test facility.




Figure 3. Test facility (front view).


Second headscape formers accorded software property accorded has been



Figure 4. Test facility (side view).

The air next enters a two dimensional nozzle with a 20 to 1 contraction ratio. Designed using a fifth order polynomial to ensure continuous first through fourth order derivatives, nozzle dimensions were chosen to minimize the possibility of separation near the nozzle exit and to prevent laminar-to-turbulent transition. I'agure 5 shows a graph of the design. This nozzle induces longitudinal strain on the flow, stretching it to further reduce spatial nonuniformities which may exist. To prevent tripping the flow at the critical point where it enters the duct, elaborate measures were taken to ensure that the seam between the nozzle and the duct straight section was smooth. Specifically, the mating surface between the nozzle and duct flanges was filled with automotive body putty (Bondo) and sanded smooth to the touch, ensuring that any discontinuity (step) inside the duct was less than 0.001 inches.

After the nozzle, the air passes through a 2.44 m (8 ft.) long straight duct. The duct inside dimensions are 1.27 cm by 50.8 cm (0.5 in. x 20 in.). This cross section is constant until the air reaches the diffuser in the outlet section. According to reference 14, fully developed laminar flow will exist for hydraulic Reynolds numbers up to 6,068 (Dean numbers up to 454) at the end of the straight duct (i.e. entry to the curved channel). The corresponding mean velocity is about 3.82 m/s. The flow is considered to be fully developed when normalized mean velocity profiles are self-similar. Appendix A



Graph of inlet nozzle design.

Figure 5.

SCHOOL OCCUPANT

(section 1) shows the sample calculations using the Langhaar equation [Ref. 14] for development length in tubes and reference 15 for development length between flat plates. The Langhaar equation is shown to be the more conservative of the two.


The fully developed laminar flow next enters the curved test section. Here the duct has the same rectangular cross section as the straight section. The concave interior duct surface has a radius of curvature of 60.96 cm (2 ft.) and the convex surface has a radius of curvature of 59.69 cm (23.5 in.). To maintain these radii of curvature, the curved test section is pulled tightly into the circular support frame using band clamps (visible in Figure 4). Holes exist at various side wall locations for the installation of smoke wires. These wires are pulled taut in the spanwise direction in the channel.

The air exits the curved section, goes through another eight foot long straight duct, and reaches the outlet section. At the exit of the second straight section are four screens, a honeycomb, a diffuser, and an outlet plenum. The screens and honeycomb were designed to minimize the effects of any spatial non-uniformities in the outlet plenum. Because of the small channel height, honeycomb was made of plastic straws, 0.41 cm (0.16 in.) in diameter and 3.18 cm (1.25 in.) long, stacked firmly together. The 45.7 cm (1.5 ft.) long diffuser, having a total angle of three degrees, is used to provide some pressure recovery. The design, which uses the guidance provided in

reference 16, minimizes the possibility of stall in the diffuser. The cubic outlet plenum (61 cm on each side) is intended to create a volume of nearly stagnant air at uniform pressure.

The plenum is connected to the suction of a blower via a rotameter (125 cfm full scale) and a one inch standard ASME orifice plate shown in Figure 6. These are used for volumetric flow indication and calibration, respectively. Various valves are used to control the flow rate, and therefore the mean velocity and Dean number, in the curved channel. The blower exhaust valve is a two inch brass gate valve, while the other two valves shown in Figure 2 are two inch brass globe valves. Pipe used to connect the outlet plenum to the blower, valves, rotameter, and orifice is standard two inch PVC pipe.

Both the curved and straight sections of the duct are made of polycarbonate (Lexan). This material was chosen because it is transparent and flexible, as well as being easy to join and machine. To minimize the potential for flow tripping, both the upper and lower walls of the channel sections (straight/curved/straight) are made of three pieces of Lexan sheet bonded together in one continuous piece, so that no seams were present. Side wall, longitudinal, and cross-beam supports are employed, so that the inside dimensions of the entire channel at any streamwise location from the nozzle exit to the last straight section are approximately  $0.5 \pm 0.005$  inches by  $20.0 \pm 0.020$  inches. The top and bottom surfaces of the channel are secured to the side



walls as shown in Figure 7. Set screws in the wall segments are spaced about 10 cm (4 in.) apart. Wall segments are removable to facilitate cleaning of channel interior surfaces. Mating surfaces between wall segments and all flange mating surfaces (except for the nozzle flange) are sealed with 3-M foam tape. Construction of the steel support frame and all Lexan portions of the test facility was performed by McNeal Enterprises, Inc. of Santa Clara, California.

#### B. BLOWER

To provide a low pressure region at the outlet plenum, a Spencer VB-0370-E Vortex Blower is used. This blower is capable of producing about 60 inches of water vacuum at 140 cfm and was sized by scaling flow behavior from a channel with half the dimensions of the present one. Figure 8 shows the advertised blower performance curve and system curves. As can be seen in the figure, the blower exceeds the head requirements of the duct and must be throttled to achieve the desired flow rates. Appendix A (section 2) provides the sample calculations used in scaling system performance to determine required blower size.

#### C. SMOKE WIRE

Flow visualization is provided by smoke wires strung in the transverse direction at various locations in the curved section, as shown in Figure 9. (One wire is used at a time.)




Figure 7. Duct side wall design.





Figure 8. Blower performance and system curves.




Schematic of smoke wire, strobe, and camera placement. Figure 9.

Because of the short delay between energizing the wire, smoke production, and arrival of that smoke a small distance downstream where it is photographed, a timing control system was used. The control device, manufactured by Flow Visualization Systems of Bolingbrook, Illinois, energizes the stainless steel smoke wire and, after a manually selected delay, triggers the strobe. Voltage applied to the wire is controlled by a Calrad 45-740 (0-130 VAC) variac. Figure 10 is a photograph of the control system. The delay time selected depends upon the mean velocity (i.e. Dean number) in the duct and was adjusted by trial and error. Of note is the fact that the two potentiometers on the control system which control wire "on time" and strobe delay time do not operate independently. As shown in Figure 11, the sequencing circuit timing diagram, the following events occur during one flow visualization run: the wire is energized, an adjustable time delay occurs, and simultaneously, the wire is turned off and the strobe is flashed. the smoke wire "on time" selected is shorter than the strobe delay time chosen, the flash of the strobe will not occur.

いっちないないののことというないのであるとなると


Maximum wire diameter selected is based on a wire Reynolds number ( $Re_w$ ) of 35 as discussed in reference 17. This Reynolds number is based on wire diameter. Higher Reynolds numbers may result in separation and an unstable wake behind the wire. Sample calculations are shown in Appendix A (section 3).

Wires penetrate the side wall segments of the test section through small (4.29 mm diameter) drilled holes. Pressed into



AND A FERENCE FOR SECRETARION OF THE SECRETARION OF SECRETARIONS OF SECRETARION O

Figure 10. Photograph of smoke wire/strobe control system.



Smoke wire sequencing circuit timing diagram. Figure 11.

each hole is a small ceramic bead (bead hole diameter equal to 1.75 mm) which prevents the energized wire from burning into the Lexan side wall. To prevent air leakage through these holes, "CLAYOLA" non-hardening modeling clay is pressed flat, forming a patch, over each hole. Smoke wire holes are located at 2, 50, 112, and 140 degrees from the entry of the circular test section as shown in Figure 9.

#### D. LIGHTING

The strobe is a General Radio type 1531-A Strobotac, which is externally triggered. For the high intensity single flash operation used in this study, the peak light intensity is 7 million beam candle power. Flash duration is approximately 3 microseconds. The strobe, which is normally used to determine the speed of rotating equipment, can also provide more continuous illumination if flashed repeatedly at high frequency. The collumator lens is a 75mm (focal length), fl.1 Rodenstock-XR-Heligon mounted directly in front of the strobe as shown in Figure 12. The entire assembly can be pivoted and clamped in place to illuminate any point on the test section. Since the arc produced by the strobe lamp is almost a straight line, the lens produces a well collumated flat sheet of light through the channel.

To prevent undesired light reflections, the outer surface of the curved channel facing the strobe is lined with black construction paper (poster board). (Not shown in Figures 3 and




Figure 12. Photograph of strobe and collumator lens.

4.) Slits are cut two to ten inches downstream of each smoke wire to provide a path for the collimated light to illuminate a radial plane. To provide a basis for comparison, all slits are 2 mm by 4.6 cm (0.08 in x 1.8 in.) and are located so that the center of the slit is located 4.83 cm from the center of the channel.

## E. CAMERA

A Nikon F-3 with a 55mm, f2.8 lens was used to record the flow pattern. Kodak Tri-X (ASA 400) or Kodak Recording Film 2475 (ASA 1000) was used. As shown in Figure 9, the camera views the illuminated plane of smoke particles at approximately a ninety degree angle to the beam of collumated light.

# III. EXPERIMENTAL TECHNIQUE

### A. CHANNEL OPERATION

In order to provide a variety of flow conditions for analysis in this study, duct flow rate (i.e. the Dean number) must be varied. Start-up of the channel and flow rate control are now described.

To initiate flow through the duct, the blower exhaust and inlet bypass valves ('A' and 'B' in Figure 2, respectively) are verified open and the duct outlet valve ('C') is checked shut. The blower is started and the duct outlet valve is opened. A reading of 29 percent on the rotameter can be achieved with all valves fully open. (Section III.B discusses rotameter calibration and indication.) It is necessary to throttle both the blower exhaust valve and the duct outlet valve to avoid unsteadiness (possibly due to slight blower stall) when operating at very low flow rates (i.e. less than 15% indicated flow). Failure to sufficiently throttle the blower exhaust valve results in severe oscillation of the rotameter float. Flow rates higher than 29 percent are achieved by throttling the blower inlet bypass valve, while valves 'A' and 'C' remain open. A maximum of 63 percent indicated flow through the duct can be achieved when the inlet bypass valve is completely shut. Higher flow rates (up to about 80%) can be achieved if the orifice plate is removed.

#### B. FLOW RATE MEASUREMENTS

Rotameter calibration was achieved by using a one inch diameter steel orifice, machined to ASME specifications, which was installed upstream of the rotameter. Orifice pressure taps were located at the 1-D upstream and 1/2-D downstream positions, where 'D' is the PVC pipe diameter (nominally 2 inches). Appendix A (Section 4) provides the data and sample calculations for rotameter calibration. References 18 and 19 were utilized in these calculations. Data was taken at an ambient pressure of 30.26 inches of mercury and an air temperature of 65°F (approx.).

As shown in Figure 13, rotameter indication is a linear function of volumetric flow rate. The equations to convert from rotameter indication (percent) to flow rate (cfm), to Dean number, and to Reynolds number are shown below.

Appendix A (section 5) provides the sample calculations for these results.

Q [cfm] = 1.15 X (ROTAMETER % FLOW) + 10

De = 9.99 X (ROTAMETER % FLOW) + 86.87

Re<sub>C</sub> = 68.49 X (ROTAMETER % FLOW) + 595.53

## C. FLOW VISUALIZATION/PHOTOGRAPHY

The flow visualization method is similar to that described in reference 20. The method described here is for still photography of the smoke patterns.




Figure 13. Rotameter calibration results.

To generate an adequate amount of smoke, the smoke wires must be frequently wetted with smoke oil. To accomplish this, the smoke wires are sufficiently long at 76.2 cm (30 in.) to enable them to be pulled back and forth through the duct, so they can be wetted with smoke oil as needed. Each time the wire is used, the clay sealing "patches" on either wall of the duct are removed and the wire is slid part way out of the duct and wetted with oil using the fingertips or a cotton swab. Finally, the wetted wire is reinserted into the duct and the clay patches are reapplied. Variac setting for a 0.005 inch diameter wire was found to vary between 30 and 40 volts, depending on the channel flow rate.

MARKET OFFICE OFFICE OFFICE AND PARTY RECORDS TO THE

The strobe, already positioned for continuous illumination of the desired slit, is adjusted so that the image of the strobe arc is in focus on the black posterboard sheet which lines the test section. Focusing is accomplished by either using the adjusting ring on the lens or by simply moving the pivoted strobe reflector.

The trial-and-error timing adjustment is accomplished by watching the timing control system status lights on the control logic box (Fig. 10). Moments after the spring-loaded timing sequence start switch is depressed, the smoke pattern should be visible in the illuminated plane. As the strobe status light goes out, indicating that the strobe has flashed, the smoke should still be visible. Adjustments to the wire and strobe timer potentiometers are made to accomplish this and to ensure that smoke intensity is at its peak when the strobe status light

goes out. Camera set-up and focusing is also accomplished during this time.

Once the proper potentiometer adjustments are made, the strobe is switched to the "External Input — high intensity" position and photography may begin. The room is darkened as much as possible. (All photographs for this report were taken at night, since the laboratory windows could not be adequately shaded.) With the camera mounted securely on a tripod, shutter speed set to 'B', and f-stop at 2.8 (lens aperture fully open), the timing sequence start switch is depressed. Moments later, before the flash of the strobe, the camera shutter is opened. Immediately after the flash from the strobe, the shutter is closed. The focused image of the smoke trace appears on the film during the three microsecond strobe flash.

# IV. RESULTS

## A. SMOKE TRACE VARIATION WITH DEAN NUMBER

At a selected location in the curved channel, smoke trace appearance and characteristics change in a series of identifiable stages as the Dean number is increased. Results which follow are based on observations of smoke traces generated from the 0.005 inch diameter wire, and observed using continuous illumination over the time interval smoke was present.

Observations are presented for different Dean numbers and percent rotameter flow, where rotameter full scale corresponds to 125 cfm at 18.3°C and atmospheric pressure.

A summary of results in the following discussion is also given in Figure 15a. This figure is discussed in section IV.B.

At the 6 degree slit location (smoke wire located 2 degrees from the start of the curved section), the smoke trace appeared as a reasonably flat line for all Dean numbers from 167 to 461 (8 to 37.5% flow by rotameter indication). For Dean numbers up to 407 (32% rotameter flow), smoke traces were particularly flat and stable. At De = 461 (approx.), the smoke appeared diffused across most of the illuminated plane, indicating that turbulence existed. Mean velocities at this location were the highest used, where the maximum corresponds to  $Re_w$  equal to 31.6 for a 0.005 inch diameter wire at 37.5% flow (De = 461, U = 3.89 m/sec). In

order to avoid unstable wakes from such a wire,  $Re_{w}$  should be less than a critical value of 35-40 [Ref. 17].

At the 55 degree slit location (smoke wire located 50 degrees from the start of the curved section), the smoke trace appeared as a flat line at Dean numbers between 167 and 247 (8 to 16% rotameter flow). As the Dean number was raised, the smoke line became blurred (De = 298 to 307). At a Dean number of 317, weak turbulence was observed along with a single wave peak (wave form) which was oscillating slightly in the transverse direction. At a Dean number of 327, turbulent appearance (i.e. diffused smoke) was observed. Due to apparent instabilities in this section of the duct, these effects were not completely reproducible each time the observations were performed: the same observations discussed above would occur at slightly different Dean numbers. During one series of observations, waves appeared on the smoke trace and oscillated at low frequency (3 to 8 Hz) in the transverse direction for Dean numbers between 257 and 307. These particular waves and wave oscillations were only seen during one series of observations, and were probably due to vibrations of the smoke wire, an effect minimized for all other observations.

At the 118 degree slit location (smoke wire located 112 degrees from the start of the curved section), observation of regularly spaced standing smoke pattern waves was made beginning with a Dean number of 167. Figure 14 shows a sequence of smoke pattern photographs at this location with increasing Dean



Figure 14a. Smoke trace photograph sequence (De = 182)

SONOTO SECURIORIST PERSONAL MESSONAL MESSONAL MESSONAL PROPERTIES OF THE PROPERTY OF THE PROPE

```
II-1 2100-2330 09 FEB 1987

9.5 % FLOW (rotameter)

MEAN AIR VELOCITY = 1.531 m/sec

VOLUMETRIC FLOW RATE = 0.00988 m/sec

MASS FLOW RATE = 0.01203 kg/sec

ATMOSPHERIC PRESS. & TEMP: 29.96 in. Hg. 77. ins

SLIT LOC. = 118 deg.

WIRE LOC. = 112 deg.

WIRE DIA. = 0.0050 in. Re. = 19

SLIT DISTANCE FROM START OF CURVE (X) = 1...

Re = 121,895

De = 182

Rec = 1246 Reh = 2432

KODAK TRI-X FILM ASA 400 (f2.8, B)
```



Figure 14b. Smoke trace photograph sequence (De = 207)

II-3 2100-2300 09 FEB 1987
12.0 % FLOW (rotameter)
MEAN AIR VELOCITY = 1.741 m/sec
VOLUMETRIC FLOW RATE = 0.01123 m³/sec
MASS FLOW RATE = 0.01368 kg/sec
ATMOSPHERIC PRESS. & TEMP: 29.96 in. Hg, 65.0 deg F
SLIT LOC. = 118 deg.
WIRE LOC. = 112 deg.
WIRE DIA. = 0.0050 in. Rew = 21
SLIT DISTANCE FROM START OF CURVE (X) = 1.242 m
Re = 138.643
De = 207
Rec = 1417 Reh = 2766
KODAK TRI-X FILM ASA 400 (f2.8, B)



Figure 14c. Smoke trace photograph sequence (De = 227).

II-5 2100-2330 09 FEB 1987 14.0 % FLOW (rotameter) MEAN AIR VELOCITY = 1.909 m/secVOLUMETRIC FLOW RATE =  $0.01232 \text{ m}^3/\text{sec}$ MASS FLOW RATE = 0.01501 kg/sec ATMOSPHERIC PRESS. & TEMP: 29.96 in. Hg, 65.0 deg F SLIT LOC. = 118 deg. 112 deg. WIRE LOC. = WIRE DIA. = 0.0050 in. Re $_{\rm W}$  = 23 SLIT DISTANCE FROM START OF CURVE (X) = 1.242 m Re De× 152,041 = 227  $Re_{C} = 1554 \quad Re_{h} = 3033$ KODAK TRI-X FILM ASA 400 (F2.8, B)

processes executive annualism hereigness energices innuivatel partit



Figure 14d. Smoke trace photograph sequence (De = 237)

```
II-20 2100-2330 09 FEB 1987
15.0 % FLOW (rotameter)
MEAN AIR VELOCITY = 1.993 m/sec
VOLUMETRIC FLOW RATE = 0.01286 m³/sec
MASS FLOW RATE = 0.01567 \text{ kg/sec}
ATMOSPHERIC PRESS. & TEMP: 29.96 in. Hg, 65.0 deg F
SLIT LOC. = 118 \text{ deg.}
WIRE LOC.
           =
               112 deg.
                                        24
WIRE DIA. = 0.0050 in. Re<sub>W</sub> =
SLIT DISTANCE FROM START OF CURVE (X) = 1.242 m
         158,740
Re<sub>x</sub> =
De
         237
Re_{c} = 1623 \quad Re_{h} = 3167

KODAK TRI-X FILM ASA 400 (f2.8, B)
```

STATES OF PERSONS AND FESSORS OF SERVICES OF SERVICES OF SERVICES OF SERVICES OF SERVICES OF SERVICES.

(Photographs taken under other conditions and at other number. locations are provided in Appendix C.) The shape and spacing of the wave patterns at the 118 degree location became less regular as the Dean number was raised. During the three second time span (approx.) when the smoke trace was visible, the waves appeared to be motionless (De = 167 to 207). At a Dean number of 217, high frequency radial vibration (i.e. X, direction in Figure 1) of the smoke trace wave peaks in the illuminated plane began to appear. Each wave was vibrating in place at its own transverse location in the channel. This vibration became progressively more violent (higher amplitude and frequency) as the Dean number was raised to 247. Only the portion of each wave peak closest to the convex surface was observed to oscil-The approximately horizontal smoke line located between the convex and concave duct surfaces which connected successive wave peaks did not appear to be moving. (See Figure 14a.) At De = 252, oscillation became extremely violent and some low frequency transverse oscillations were evident. The turbulent appearance previously discussed was observed at this location at a Dean number of 257.

At the 146 degree slit location (smoke wire 140 degrees from the start of the curved section), the smoke trace appeared as a series of standing waves of very regular size and spacing (De = 167 to 187). An observation at a Dean number of 197 indicated that the waves had roughly the same size (amplitude), were spaced farther apart, and were "wobbling" in the

transverse (X<sub>2</sub>) direction (i.e., the wave forms were staying in one transverse location, but their shape was changing in a wobbly fashion). This relatively low frequency wobble was still apparent when the smoke trace was observed at Dean numbers of 207 and 217, however, the wave forms were becoming progressively more irregularly spaced and shaped. At a Dean number of 227, the wobble became more violent, but the irregularly spaced and shaped waves continued to wobble in place. Weak turbulence (i.e., very blurred wave appearance) was observed at a Dean number of 237 and full turbulence appeared between values of 247 to 257.

The next section on stability mapping provides graphical analysis of the data just described.

#### B. STABILITY MAPS

Figure 15a is a graphical presentation of the results of this study. As shown in the figure, the standing wave smoke trace was observed at the 118 degree slit location and beyond for the lower Dean numbers (De < 210 approx.). Wave oscillations, either a low frequency wobble or high frequency vibration, was observed at the 55 degree slit location and beyond for moderate Dean values (210 < De < 310 approx.). It should be noted that for the 55 degree slit location, no waves were observed on the smoke trace until just prior to full turbulence. Here, the transition from weak turbulence, when wave oscillations were observed, to full turbulence occurred




Figure 15a. Flow stability map.

over a flow rate change from 0.02096 kg/sec to 0.02162 kg/sec, corresponding to a one percent rotameter flow rate change relative to rotameter full scale. The Dean number variation for this change was about 10. Turbulent smoke trace appearance was observed at all locations above the upper-most line in the figure.

Figure 15b shows points on the stability map corresponding to several photographs in Appendix C.


# C. FLOW VISUALIZATION, INTERPRETATION AND ANALYSIS

In some cases, the flow causes the smoke, which is initially generated along a straight line and convected downstream, to deform as shown in Figure 16. One possible arrangement of velocity vectors in the radial plane which could cause such a distortion is shown in Figure 17. Figure 18 shows that the smoke is further distorted into shapes expected if streamwise vortex pairs are present. The mushroom-like shape shown in Figure 18 becomes more like a row of omegas as the smoke convects further.

Transverse oscillations of the smoke pattern are probably caused by side-to-side vortex pair oscillation at a particular circumferential position. The causes of radial oscillations are less apparent.

Analysis of the smoke patterns can be used to make rough approximations of vortex strength (circulation) and spacing.

Figure 16 is a photograph of a smoke trace for a Dean number of



LALAKSSON, ACAGGGGG KALAGAGG BASAKKSON FASAKKAGIN KEREKERIN KALAGAGA BILIDIDIN PERFERIS KSKKKKSON PERFE

Figure 15b. Flow stability map indicating locations for several Appendix C photographs.






Figure 16. Smoke pattern photograph used in Figure 17 schematic.

```
O-1 FEB 1987
9.5 % FLOW (rotameter)
MEAN AIR VELOCITY = 1.531 m/sec
VOLUMETRIC FLOW RATE = 0.00988 m³/sec
MASS FLOW RATE = 0.01203 kg/sec
ATMOSPHERIC PRESS. & TEMP: NOT RECORDED
SLIT LOC. = 119 deg.
WIRE LOC. = 112 deg.
WIRE DIA. = 0.0125 in. Rew = 47
SLIT DISTANCE FROM START OF CURVE (X) = 1.256 m
Rex = 123,238
De = 182
Rec = 1246 Reh = 2432
KODAK TRI-X ASA 1,000 (f2.8, B)
```





CONCAVE DUCT SURFACE (r = 60.96 cm)

Theorized effect of streamwise vortices. Figure 17.



Figure 18. Smoke pattern photograph taken farther downstream of Figure 17 at the same Dean number.

```
II-14 2100-2330 09 FEB 1987

9.5 % FLOW (rotameter)

MEAN AIR VELOCITY = 1.531 m/sec

VOLUMETRIC FLOW RATE = 0.00988 m³/sec

MASS FLOW RATE = 0.01203 kg/sec

ATMOSPHERIC PRESS. & TEMP: 29.96 in. Hg, 65.0 deg F

SLIT LOC. = 128 deg.

WIRE LOC. = 112 deg.

WIRE DIA. = 0.0050 in. Rew = 19

SLIT DISTANCE FROM START OF CURVE (X) = 1.348 m

Rex = 132,225

De = 182

Rec = 1246 Reh = 2432

KODAK TRI-X FILM ASA 40 (f2.8, B)
```

182 (9.5% rotameter flow). The 0.0125 inch diameter smoke wire was at the 112 degree location and the slit was approximately 0.0762 meters (3 in.) downstream, which corresponds to 119.3 degrees from the start of the curved section. Mean streamwise flow velocity for this Dean number is approximately 1.53 m/sec. (See section 5 of Appendix A for sample calculations.) Using this mean as an estimate of the convection velocity, the time between smoke generation at the wire to arrival at the illuminated plane is 0.0498 seconds.

Assuming that the streamwise vortices (if they exist and if they are causing the smoke distortion) are radially centered in the curved channel, the maximum vortex tangential velocity can be calculated from an estimate of the distance from the center of the illuminated plane to the wave peak (i.e., wave amplitude). It is also assumed that the vortex is like the inner part of a Rankine vortex, with velocity in the radial plane varying linearly from the vortex center over a small distance. Judging from the almost linear shape of the smoke pattern from channel center to wave peak, this seems to be a reasonable assumption. Knowing that the actual channel height is 1.27 cm (0.5 in.) and is 4.21 cm (1.66 in.) in the photograph, measurements of smoke pattern dimensions in the photograph may be scaled to the correct radial lengths. this case, the wave peak average amplitude is roughly 2.16mm from the actual channel mid-plane. This means that maximum

vortex tangential flow velocity must be  $0.0434 \, \text{m/sec}$ , or  $2.8 \, \text{percent}$  of the mean streamwise velocity of  $1.53 \, \text{m/sec}$ .

If the area,  $\pi r^2$ , includes all vorticity of a Rankine vortex, then its circulation is given by  $\Gamma = 2\pi r V_r$ , where  $V_r$  is the circumferential component of velocity relative to the vortex and r is the radial distance from the vortex center. Using  $V_r = 0.0434$  m/sec and r = 2.09 mm for the smoke trace of Figure 16, circulation and vorticity are estimated to be  $5.7 \times 10^{-4}$  m<sup>2</sup>/sec and 41.6 sec<sup>-1</sup>, respectively.

# V. CONCLUSIONS AND RECOMMENDATIONS

Laminar/turbulent flow transition was observed in a curved channel of rectangular cross section. The curved test section consisted of concentric surfaces with radii of curvature of 59.69 and 60.96 cm (23.5 and 24.0 in.). Channel width was 50.8 cm and the resulting aspect ratio was 40 to 1.

Using smoke wires at 6, 50, 112, and 140 degrees from the start of the curved test section, flow visualization studies were performed. The Dean number for these observations ranged from 167 to 461. Equivalent mean velocities in the duct were 1.40 to 3.89 m/sec.

Photographs and observations showed that under certain conditions and channel locations, smoke traces will appear as a series of standing waves at various radial planes. Smoke trace distortions are similar to what one would expect if pairs of counter-rotating vortices are present.

Smoke pattern behavior at varying channel location and Dean number shows that the standing wave smoke pattern is more likely to form closer to the exit of the curved section at lower Dean numbers. As the Dean number is raised, such wave patterns exist farther upstream (i.e. closer to the start of the curvature). Transition is also expected to occur farther upstream, closer to the start of the curvature, as the Dean number increases.

To prove that vortices do in fact exist and that their presence is shown by the smoke trace, more detailed studies are required. The smoke trace patterns, by strict interpretation, show only radial distortion. Transverse flow velocities must also be measured to adequately show that vorticity is present. Radially placed smoke wires may indicate transverse flow characteristics, but their placement must be known relative to a vortex center.

Other flow visualization and observation schemes might prove effective. Specifically, continuous smoke generation and injection of this smoke to enable following the behavior of an individual streamline might yield interesting results.

The more interesting photographs taken in the course of this study were taken at lower flow rates and well downstream of the smoke wire. Since the lowest indication on the rotameter was 8 percent (De = 167) and since the blower underwent significant throttling to achieve this flow rate, a lower capacity blower and smaller range rotameter would be helpful in further studies of transition in this test facility.

#### APPENDIX A

## SAMPLE CALCULATIONS

- 1. DEVELOPMENT LENGTH FOR LAMINAR FLOW
  - a. Using the Langhaar equation for tubes [Ref. 14]

$$\frac{L'}{D}$$
 = 0.058 Re<sub>C</sub>

where

L' = Development length for laminar flow

 $Re_{C}$  = Reynolds number based on channel height, it can be shown that the maximum Reynolds number ( $Re_{C_{max}}$ ) based on an 8 foot development length is

$$Re_{c_{max}} = \frac{L'}{0.058 \text{ d}} = \frac{8 \text{ ft (12 in/ft)}}{0.058 (0.5 in)}$$

$$Re_{c_{max}} = 3110 .$$

The maximum Dean number is

$$De_{max} = Re_{c_{max}} \sqrt{d/r_i} = 3110 \sqrt{0.5in/23.5 in}$$

$$De_{max} = 454$$

The hydraulic diameter of the channel is

$$d_h = \frac{4A}{P}$$
 , where 'A' and 'P' are the channel area and perimeter, respectively.

$$D_{h} = \frac{4(0.5 \text{ in } \times 20 \text{ in})}{(2\times20) + (2\times0.5)} = 0.9756 \text{ inches}$$

$$D_{h} = 2.478 \text{ cm}$$

The maximum hydraulic Reynolds number is simply

$$Re_{h_{max}} = Re_{c_{max}} \frac{D_{h}}{d} = 3110 \frac{(0.9756 \text{ in.})}{0.5 \text{ in.}}$$

$$Re_{h_{max}} = 6068$$

b. For development length between parallel planes, it was shown in Reference 15 that

$$L' = \phi D_h Re_h$$
,

where  $\phi$  is a dimensionless parameter obtained from channel aspect ratio. For a channel with a 40:1 aspect ratio,  $\phi$  is equal to 0.0115. The maximum hydraulic Reynolds number is then calculated as

$$Re_{h_{max}} = \frac{L'}{\phi D_h} = \frac{8 \text{ ft (12 in./ft.)}}{0.0115 (0.9756 in.)}$$

$$Re_{h_{max}} = 8557$$

Similarly, the maximum Dean number and Reynolds number (based on channel height) using Reference 15 results for parallel plates are

$$De_{max} = 640$$

$$Re_{c_{max}} = 4386$$

These results are about 30% higher than the more conservative results of the Langhaar equation for flow in tubes.

## SCALING CALCULATIONS

To select a blower for the new test facility, which is twice the size of the previous facility, it is necessary to scale-up flow data from the smaller duct. The goal is having the same hydraulic Reynolds number in both channels. The hydraulic Reynolds number is

$$Re_{h} = \frac{U D_{h}}{v}$$
 . Since hydraulic diameter is

 $\frac{4A}{D}$  and volumetric flow rate (Q) is U A,

 $Re_{h} = \frac{4Q}{PV}$ . Ultimately, since mass flow

rate is  $\rho Q$  and absolute viscosity ( $\mu$ ) is  $\nu \rho$ ,

 ${\rm Re}_{h}=rac{4m}{P\mu}$ . The perimeter (P) of the new channel is twice the old channel's perimeter and the cross sectional area (A) of the new channel is four times that of the older channel. Therefore, since hydraulic diameter is  $rac{4A}{P}$ ,

 $_{\rm h}^{\rm D}$  =  $_{\rm h}^{\rm 2D}$  . Since Reynolds numbers are equal, new old

similitude is achieved when mean velocities are set forth as  $U_{new} = \frac{1}{2} U_{old}$ .

Volumetric flow rate (Q) is equal to UA. Since  $U_{\text{new}} = \frac{1}{2} \quad U_{\text{old}} \quad \text{and} \quad A_{\text{new}} = 4 \quad A_{\text{old}}$ ,

 $Q_{new}=2~Q_{old}$  achieves similitude. Since channel head loss (pressure change ( $\Delta P$ ) across the duct) is proportional to  $U^2~\frac{L}{D}$ , where 'L' is the length of the duct, and since the L-to-D ratio is the same for both ducts, similitude is also achieved when

 $\Delta P_{\text{new}}$  equals  $\frac{1}{4}$   $\Delta P_{\text{old}}$ .

The equations above enable the scaling-up of flow data from a channel half the size of the current one.

Figure 8 shows the old and scaled-up new curved channel systems curves as well as the new blower performance curve. Since the old channel did not have flow management devices (screens and honeycombs) or a rotameter, the effects of these items was considered small when compared to the suction capability of the blower and was neglected in generating the data for Figure 8.

3. REYNOLDS NUMBER BASED ON SMOKE WIRE DIAMETER

Wire diameter used most often was 0.005 inch diameter. Some 0.0125 inch diameter wire was also used at lower Dean numbers.

To avoid an unstable wake due to flow separation on the wire, maximum Reynolds number based on wire diameter should be less than 35 [Ref. 17].

$$(Re_w) = 35 \frac{U_{max}d_w}{v} = \frac{U_{max}(0.000127 \text{ m})}{1.56 \times 10^{-5} \text{ m}^2/\text{sec}}$$

 $U_{\text{max}} = 4.30 \text{ m/sec.}$  (Based on  $Re_{\text{w}} \leq 35$ 

for 0.005 in. diameter wire.)

Since maximum fluid velocity for laminar flow between parallel flat plates is 1.5 times the mean velocity, mean velocity for  $Re_w = 35$  is 2.87 m/sec.

Reynolds and Dean numbers based on the distance between flat plates are now required.

$$Re_{C} = Ud_{V}$$

$$(v = 1.56 \times 10^{-5} \text{ m}^2/\text{sec})$$

 $Re_c = 2,336$  (Using U = 2.87 m/sec.)

The Dean number is equal to  $\text{Re}_{c}\sqrt{\text{d}/\text{r}_{i}}$  ,

where d = 0.5 inches

and  $r_i = 23.5$  inches

De = 341 (Using U = 2.87 m/sec, the maximum max velocity based on a wire diameter of 0.005 in.)

(This Dean number occurs at 25.4% indicated rotameter flow.) For a wire which is 0.0125 inches (0.3175mm) in diameter, it can be shown that

 $U_{MAX} = 1.72 \text{ m/sec}$ 

U = 1.15 m/sec

 $Re_{C} = 934$  and

 $De_{max} = 136$ 


max

A table summarizing these values is shown below:

SUMMARY OF CRITICAL VALUES BASED ON A WIRE REYNOLDS NUMBER (Rew) OF 35 (CHANNEL INSIDE DIMENSIONS ARE 0.5in.x20.0in.):

Wire Diameter	0.005 in.	0.0125 in.
U	2.87 m/sec	1.15 m/sec
$\mathtt{u}_{\mathtt{max}}$	4.30 m/s	1.72 m/sec
Re <sub>C</sub> max	2336	934
De <sub>max</sub>	341	136

4. ROTAMETER CALIBRATION DATA AND SAMPLE CALCULATIONS.



A one-inch ASME orifice is used, as shown above.

 $P_1$  is the pressure upstream of the orifice and

P<sub>2</sub> is the downstream pressure.

# Data:

	Barometric Pressure	Air Temperature
Conditions at start of calibration	30.26" Hg	63.1°F
Conditions at end of calibration	30.26" Hg	66.1°F

Data Point	P1 Inches H <sub>2</sub> O (Vacuum)	(P <sub>1</sub> -P <sub>2</sub> ) Inches H <sub>2</sub> O	Assumed Temp °F	Rotameter Flow (%)
1	8.15	41.40	63.1	60.5
2	4.45	24.25	63.85	46.8
3	2.20	13.60	64.60	29.3
4	0.92	5.90	65.35	22.2
5	0.35	1.90	66.10	12.9

Complete calculations for data point #1 are shown.

$$P_1 = -8.51$$
 in.  $H_2O = -0.294$  psi (below atmospheric pressure)

$$P_{atm} = 30.26 in. Hg = 14.86 psia$$

$$\Delta P_0 = P_1 - P_2 = 41.40$$
"  $H_2O = 1.495$  psi

$$P_2 = P_1 - \Delta P_0 = 13.071 \text{ psia}$$

$$\rho_1 = \frac{P_1}{RT_1} = \frac{14.566 \text{ lbf/in}^2 (144 \text{ in}^2/\text{ft}^2)}{(53.34 \text{ ft lbf/lbm}^\circ R (523.1^\circ R))}$$

$$\rho_1 = 0.07517 \text{ lbm/ft}^3$$

$$\frac{P_2}{P_1} = \frac{13.071}{14.566} = 0.8974$$
 Using this value in Reference

18 (Figure 7-15) with an orifice-to-pipe diameter ratio of 0.5 yields a 'Y' value of 0.939.

$$\dot{m} = KA_2 Y \sqrt{2g_c \rho_1 (P_1 - P_2)}$$
.

Assuming an initial Reynolds number of 5,000, K = 0.6420 [Ref. 19].

$$\dot{m} = 0.6420 \frac{\pi}{4} \frac{(1)^2}{(12)^2} \text{ ft}^2(0.939) \sqrt{(2)32.174 \frac{\text{ftlbm } 0.07517 \frac{\text{lbm}}{\text{ft}^3} 215.28 \frac{\text{lbf}}{\text{ft}^2}}}$$

m = 0.1031 lbm/sec

Iterating ...

$$Re = \frac{4\dot{m}}{\mu \Pi D} = \frac{4(0.1031 \text{ lbm/sec})}{4.0 \times 10^{-7} \frac{\text{lbf sec}}{\text{ft}^2} (\Pi) \frac{1}{12} \text{ ft x } 32.174 \frac{\text{ftlbm}}{\text{lbf sec}^2}}$$

Re = 122,400

Using this Re value, find a new K value [Ref. 18] by interpolation.

K = 0.6229 Using this K, find a new m.

$$\dot{m} = \frac{0.6229}{0.6420} (0.1031 \frac{1bm}{sec}) = 0.1000 lbm/sec$$

Re = 
$$\frac{4(0.1000)}{4 \times 10^{-7} (\pi) \frac{1}{12} (32.174)}$$
 = 118,700

Iterating again ...

$$K = 0.6229$$
 (same as before)

$$\dot{m}_1 = 0.1000 \text{ lbm/sec}$$

$$Q_1 = \frac{\dot{m}_1}{\rho} = \frac{0.1000 \text{ lbm/sec}}{0.07517 \text{ lbm/ft}^3} = 133 \text{ ft}^3 \text{sec}$$

$$= 79.8 \text{ cfm @ 60.5}\%$$
indicated flow.

 CONVERTING ROTAMETER INDICATION TO FLOW RATE, DEAN NUMBER, AND REYNOLDS NUMBER

# a. Flow Rate:

As shown in Figure 13, rotameter indication is a linear function of volumetric flow rate. The slope (m) of the line is equal to  $\frac{115 \text{ cfm}}{100\%}$  or 1.15 and the y-intercept (b) occurs at 10 cfm. Since the equation of a straight line is y = mx + b, the equation converting rotameter indication to volumetric flow rate (Q) in cfm is

$$Q = 1.15 \times (Rotameter % Flow) + 10$$

# b. Reynolds Number (Re<sub>c</sub>):

One hundred percent flow indication on the rotameter represents 125 cfm. Since mean velocity through the duct is Q/A, where 'A' is the duct cross sectional area (10 in<sup>2</sup>), mean velocity at 100% flow is

$$\frac{\text{ft}^3}{\text{min}} \quad \frac{\text{min}}{60 \text{ sec}} \quad \frac{1}{10 \text{ in}^2} \quad \frac{144 \text{ in}^2}{\text{ft}^2} \quad \frac{12 \text{ in}}{1 \text{ft}} \quad \frac{0.0254 \text{m}}{\text{in}}$$

U = 9.144 m/sec (@ 100% flow).

Likewise, mean velocity at 0% indicated flow is

10 
$$\frac{\text{ft}^3}{\text{min}}$$
  $\frac{1}{60}$   $\frac{1}{10}$  (12) 3 0.0254 = 0.73152 m/sec.

Reynolds number (based on channel height)

is 
$$\frac{Ud}{v}$$
 .

$$Re_{C} = \frac{9.14 \text{ m/sec } (0.0127 \text{ m})}{(1.56 \times 10^{-5} \text{ m}^{2}/\text{sec})} = 7444.15 \text{ @ 100% flow}$$
indication

$$Re_C = \frac{0.73152 (0.0127)}{(1.56x10^{-5})} = 595.53$$
 @ 0% flow indication

As discussed in Part "A" above, 
$$b = 595.53$$
 and  $m = \frac{7444.15 - 595.53}{100} = 68.49$ 

The equation converting rotameter indication to Reynolds number is

$$Re_c = 68.49 \text{ x (rotameter % flow)} + 595.53$$

# c. Dean Number:

Since the Dean number is defined as De =  ${\rm Re}\sqrt{{\rm d}/{\rm r}_i}$  (where d = 0.5 inches and r<sub>i</sub> = 23.5 inches), the Dean number is actually De = 0.146 Re<sub>c</sub>.

Expressing this in terms of rotameter indicated flow, the Dean number is

De = 
$$9.99$$
 (rotameter % flow) +  $86.87$ 

(Note that for this rotameter, the minimum indication is 8%.)

#### APPENDIX B

#### ACCURACY/UNCERTAINTY ANALYSIS

This section documents instrument accuracy/readability, as well as uncertainty in the calculation of channel flow rate and related quantities (i.e. De,  $Re_h$ ,  $Re_c$ , etc.)

The following are estimates of the errors involved in reading the instruments used in the calibration of the rotameter. These values were conservatively chosen.

 $\pm$  0.4 inches of water ( $\pm$  0.0144 psi)

$$\Delta P_{atm}$$
 (barometer)

± 0.05 inches of mercury
(0.025 psi)

$$\Delta P_1 = \sqrt{(0.0144)^2 + (0.025)^2} = 0.029 \text{ psi}$$

$$\Delta (\Delta P)$$
 (U-tube manometer)

± 0.4 inches of water
(±0.0144 psi)

$$\Delta T_1$$
 (mercury thermometer)

± 1.0 °F

From Appendix A (section 4), the mass flow rate through the orifice is:

$$\dot{m} = K A_2 Y \sqrt{2g_c \rho_1 (\Delta P)}$$

Using the data in Appendix A (section 4) for data point #1, the uncertainty in the air density  $(\rho_1)$  is found.

$$\rho_{1} = \frac{P_{1}}{RT_{1}}$$

$$\Delta \rho_{1} = \left[ \left( \frac{\partial \rho_{1}}{\partial P_{1}} - \delta P_{1} \right)^{2} + \left( \frac{\partial \rho_{1}}{\partial T_{1}} - \delta T_{1} \right)^{2} \right]^{\frac{1}{2}}$$

$$= \left[ \left( \frac{1}{RT_{1}} - \delta P_{1} \right)^{2} + \left( \frac{P_{1}}{RT_{1}^{2}} - \delta T_{1} \right)^{2} \right]^{\frac{1}{2}}$$

$$\Delta \rho_{1} = \left[ \left( \frac{144(0.029)}{53.34(523.1)} \right)^{2} + \left( \frac{144(14.566)(1)}{(53.34)(523.1)^{2}} \right)^{2} \right]^{\frac{1}{2}}$$

$$\Delta \rho_{1} = \pm 0.0002 \text{ lbm/ft}^{3}$$

$$\rho_{1} = 0.0752 \pm 0.002 \text{ lbm/ft}^{3}$$

The uncertainty in mass flow rate is found in a similar manner (assuming negligible uncertainty in K,  $A_2$ , Y, and  $g_2$ ).

$$\Delta \dot{m} = \left[ \left( \frac{\partial \dot{m}}{\partial \rho_{1}} \Delta \rho_{1} \right)^{2} + \left( \frac{\partial \dot{m}}{\partial \Delta P} \Delta (\Delta P) \right)^{2} \right]^{\frac{1}{2}}$$

$$= \left[ \left( \frac{KA_{2}Y}{2} \cdot \sqrt{\frac{2g_{c}\Delta P}{\rho_{1}}} \Delta \rho_{1} \right)^{2} + \left( \frac{KA_{2}Y}{2} \sqrt{\frac{2g_{c}\rho_{1}}{\Delta P}} \Delta (\Delta P) \right)^{2} \right]^{\frac{1}{2}}$$

$$\Delta \dot{m} = 0.6229 (0.005454) (0.939) (0.5) \sqrt{2(32.174)} \times \left[ \left( \frac{215.28}{0.07517} (0.0002)^{2} \right) + \left( \frac{0.07517}{215.28} (0.0144)^{2} (144)^{2} \right) \right]^{\frac{1}{2}}$$

$$\dot{m} = 0.1000 \pm 0.0005 \text{ lbm/sec.}$$

This uncertainty represents a 0.5 percent error in mass flow rate. An uncertainty of 0.5% is insignificant and not indicative of actual rotameter accuracy.

Typical oscillation in rotameter indication varies between ± 0.5 to 1.0% of rotameter full scale. An uncertainty of 0.5% in rotameter indicated flow, a conservative estimate, represents an uncertainty of 5 with respect to the Dean number and 30 with respect to the channel Reynolds number (Re<sub>C</sub>). This represents an overall uncertainty in Dean and Reynolds numbers of about 3 percent. Considering the data scatter in the rotameter calibration curve (Fig. 13), these seem to be reasonable estimates for the uncertainties in channel flow rate, flow velocity, and Dean and Reynolds numbers.

## APPENDIX C

## SMOKE PATTERN PHOTOGRAPHS

This appendix contains the majority of the still pictures taken in the course of this study. Although the enlargements were not of uniform size, it is to be noted that all photos are of illuminated radial planes of identical size. Slit width, and therefore the width of the illuminated radial plane, is 4.57 cm (1.8 in.) across. The duct height, the distance between illuminated horizontal lines in each photograph, is 1.27 cm (0.5 in.). The brighter of the two horizontal lines (located at the top of each photograph) represents the convex internal surface of the duct. This bright line is the illuminated edge of the cardboard slit. In some photos, this line may not appear to be straight due to warpage of the cardboard.

While slit distance from the start of the curved test section varies between photos, all slits have the same transverse location in the duct. The distance from the slit centerline to the channel transverse centerline is 4.83 cm (1.9 in.). All slit locations and dimensions are ±2 mm and all angular measurements from the curved channel entrance are ±0.5 degrees.

CONTRACT PRESENCES CONTRACTOR CONTRACTOR CONTRACTOR

Photographs are arranged in the order that they were taken. The Roman and Arabic number in the upper left corner of each caption represent the roll number and the photograph on that roll, respectively.



Figure C.1

CONTRACTOR CONTRACTOR CONTRACTOR

I-5 2100-2315 08 FEB 1987
9.4 % FLOW (rotameter)
MEAN AIR VELOCITY = 1.522 m/sec
VOLUMETRIC FLOW RATE = 0.00982 m/sec
MASS FLOW RATE = 0.01196 kg/sec
ATMOSPHERIC PRESS. % TEMP: 29.92 in. Hg, 65.2 deg F
SLIT LOC. = 118 deg.
WIRE LOC. = 112 deg.
WIRE DIA. = 0.0125 in. Re, = 46
SLIT DISTANCE FROM START OF CURVE (X) = 1.242 m
Re = 121,225
De = 181
Rec = 1239 Reh = 2418
KODAK TRI-X FILM ASA 400 (f2.8, B)




Figure C.2




Figure C.3

```
I-23 2100-2315 08 FEB 1987
8.0 % FLOW (rotameter)
MEAN AIR VELOCITY = 1.405 m/sec
VOLUMETRIC FLOW RATE = 0.00906 m³/sec
MASS FLOW RATE = 0.01104 kg/sec
ATMOSPHERIC PRESS. & TEMP: 29.92 in. Hg, 65.2 deg F
SLIT LOC. = 128 deg.
WIRE LOC. = 112 deg.
WIRE DIA = 0.0125 in. Rew = 43
SLIT DISTANCE FROM START OF CURVE (X) = 1.348 m
Rex = 121,325
De = 167
Rec = 1143 Reh = 2231
KODAK TRI-X FILM ASA 400 (f2.8, B)
```




Figure C.4

```
I-24 2100-2315 08 FEB 1987
8.0 % FLOW (rotameter)
MEAN AIR VELOCITY = 1.405 m/sec
VOLUMETRIC FLOW RATE = 0.00906 m/sec
MASS FLOW RATE = 0.01104 kg/sec
ATMOSPHERIC PRESS. & TEMP: 29.92 in. Hg, 65.2 deg F
SLIT LOC. = 128 deg.
WIRE LOC. = 112 deg.
WIRE DIA. = 0.0125 IN. Rew = 43
SLIT DISTANCE FROM START OF CURVE (X) = 1.348 m
Rex = 121,325
De = 167
Rec = 1143 Reh = 2231
KODAK TRI-X FILM ASA 400 (F2.8, B)
```




Figure C.5

II-7 2100-2330 09 FEB 1987

9.5 % FLOW (rotameter)

MEAN AIR VELOCITY = 1.531 m/sec

VOLUMETRIC FLOW RATE = 0.00988 m³/sec

MASS FLOW RATE = 0.01203 kg/sec

ATMOSPHERIC PRESS. & TEMP: 29.96 in. Hg, 65.0 deg F

SLIT LOC. = 123 deg.

WIRE LOC. = 112 deg.

WIRE DIA. = 0.0050 IN. Rew = 19

SLIT DISTANCE FROM START OF CURVE (X) = 1.295 m

Rex = 127,060

De = 182

Rec = 1246 Reh = 2432

KODAK TRI-X FILM ASA 400 (f2.8, B)




Figure C.6

The second and the se

```
II-10 2100-2330 09 FEB 1987
12.0 % FLOW (rotameter)
MEAN AIR VELOCITY = 1.741 m/sec
VOLUMETRIC FLOW RATE = 0.01123 \text{ m}^3/\text{sec}
MASS FLOW RATE = 0.01368 kg/sec
ATMOSPHERIC PRESS. & TEMP: 29.96 in. Hg, 65.0 deg F
SLIT LOC. = 123 deg.
WIRE LOC.
            *
                 112 deg.
WIRE DIA. ≠ 0.0050 in.
WIRE DIA. \neq 0.0050 in. Re<sub>W</sub> = 21
SLIT DISTANCE FROM START OF CURVE (X) = 1.295 m
Re
De
           144,518
           207
Re_{C} = 1417 \quad Re_{h} = 2766
KODAK TRI-X FILM ASA +00 (f2.8, B)
```



Figure C.7




Figure C.8

```
II-16 2100-2330 09 FEB 1987

12.0 % FLOW (rotameter)

MEAN AIR VELOCITY = 1.741 m/sec

VOLUMETRIC FLOW RATE = 0.01123 m/sec

MASS FLOW RATE = 0.01368 kg/sec

ATMOSPHERIC PRESS. & TEMP: 29.96 in. Hg, 65.0 deg F

SLIT LOC. = 128 deg.

WIRE LOC. = 112 deg.

WIRE DIA. = 0.0050 in. Rew = 21

SLIT DISTANCE FROM START OF CURVE (X) = 1.348 m

Rex = 150.392

De = 207

Reg = 1417 Reh = 2765

KODAK TRI-X FILM ASA 40 f2.8, B)
```




Figure C.9

```
II-18 2100-2300 09 FEB 1987
14.0 % FLOW (rotameter)
MEAN AIR VELOCITY = 1.909 m/sec
VOLUMETRIC FLOW RATE = 0.01232 m³/sec
MASS FLOW RATE = 0.01501 kg/sec ATMOSPHERIC PRESS. & TEMP: 29.96
                                     29.96 in. Hg, 65.0 deg F
SLIT LOC. = 128 deg.
WIRE LOC.
                  112 deg.
WIRE DIA. = 0.0050 in. Rew = 23
SLIT DISTANCE FORM START OF CURVE (X) = 1.348
Re_{x}
            164,926
      =
De
            227
Re_{G} = 1554 \quad Re_{h} = 3033

KODAK TRI-X FILM ASA 400 (£2.8, B)
            1554
```

AND AND AND THE PROPERTY OF TH



Figure C.10

```
II-22 2100-2330 09 FEB 1987

16.0 % FLOW (rotameter)

MEAN AIR VELOCITY = 2.078 m/sec

VOLUMETRIC FLOW RATE = 0.01340 m³/sec

MASS FLOW RATE = 0.01633 kg/sec

ATMOSPHERIC PRESS. & TEMP: 29.96 in. Hg, 65.0 deg F

SLIT LOC. = 118 deg.

WIRE LOC. = 112 deg.

WIRE DIA. = 0.0050 in. Rew = 25

SLIT DISTANCE FROM START OF CURVE (X) = 1.242 m

Rex = 165,440

De = 247

Rec = 1691 Reh = 3300

KODAK TRI-X FILM ASA 400 (f2.8, B)
```



Figure C.11

```
III-1 2100-2300 14 FEB 1987

8.0 % FLOW (rotameter)
MEAN AIR VELOCITY = 1.405 m/sec
VOLUMETRIC FLOW RATE = 0.00906 m³/sec
MASS FLOW RATE = 0.01104 kg/sec
ATMOSPHERIC PRESS. & TEMP: 29.96 in. Hg, 63.6 deg F
SLIT LOC. = 123 deg.
WIRE LOC. = 112 deg.
WIRE DIA. = 0.0050 in. Rew = 17
SLIT DISTANCE FROM START OF CURVE (X) = 1.295 m
Rex = 116,586
De = 167
Rec = 1143 Reh = 2231
KODAK RECORDING FILM ASA 1,000 (f2.8, B)
```



Figure C.12

```
III-5 2100-2300 14 FEB 1987
8.0 % FLOW (rotameter)
MEAN AIR VELOCITY = 1.405 m/sec
VOLUMETRIC FLOW RATE = 0.00906 m³/sec
MASS FLOW RATE = 0.01104 kg/sec
ATMOSPHERIC PRESS. & TEMP: 29.97 in. Hg, 63.6 deg F
SLIT LOC. = 123 deg.
WIRE LOC. = 112 deg.
WIRE DIA. = 0.0050 IN. Rew = 17
SLIT DISTANCE FROM START OF CURVE (X) = 1.295 m
Rex = 116,586
De = 167
Rec = 1143 Reh = 2231
KODAK RECORDING FILM ASA 1,000 (f2.8, B)
```



Figure C.13

```
III-9 2100-2300 14 FEB 1987

9.0 % FLOW (rotameter)

MEAN AIR VELOCITY = 1.489 m/sec

VOLUMETRIC FLOW RATE = 0.00960 m³/sec

MASS FLOW RATE = 0.01170 kg/sec

ATMOSPHERIC PRESS. & TEMP: 29.97 in. Hg, 63.6 deg F

SLIT LOC. = 123 deg.

WIRE LOC. = 112 deg.

WIRE DIA. = 0.0050 in. Rew = 18

SLIT DISTANCE FROM START OF CURVE (X) = 1.295 m

Rex = 123,569

De = 177

Rec = 1212 Reh = 2365

KODAK RECORDING FILM ASA 1,000 (f2.8, B)
```




Figure C.14

III-11 2100-2300 14 FEB 1987

10.0 % FLOW (rotameter)

MEAN AIR VELOCITY = 1.573 m/sec

VOLUMETRIC FLOW RATE = 0.01015 m/sec

MASS FLOW RATE = 0.01236 kg/sec

ATMOSPHERIC PRESS. & TEMP: 29.97 in. Hg, 63.6 deg F

SLIT LOC. = 123 deg.

WIRE LOC. = 112 deg.

WIRE DIA. = 0.0050 in. Rew = 19

SLIT DISTANCE FROM START OF CURVE (X) = 1.295 m

Rex = 130,522

De = 187

Rec = 1280 Reh = 2498

KODAK RECORDING FILM ASA 1,000 (f2.8, B)



Figure C.15

```
III-13 2100-2300
                     14 FEB 1987
11.0 % FLOW (rotameter)
MEAN AIR VELOCITY
                     = 1.657 m/sec
VOLUMETRIC FLOW RATE = 0.01069 m³/sec
MASS FLOW RATE = 0.01302 \text{ kg/sec}
ATMOSPHERIC PRESS. & TEMP: 29.97 in. Hg, 63.6 deg F
SLIT LOC.
           =
                123 deg.
WIRE LOC.
           = 112 deg.
WIRE DIA. = 0.0050 in. Rew = 20 SLIT DISTANCE FROM START OF CURVE (X) = 1.295 m
          137,535
Re_{\mathbf{x}}
          197
De
Re_C = 1349 Reh = 2632
KODAK RECORDING FILM ASA 1,000 (f2.8, B)
          1349
```



Figure C.16

```
III-15 2100-2300 14 FEB 1987
12.0 % FLOW (rotameter)
MEAN AIR VELOCITY = 1.741 m/sec
VOLUMETRIC FLOW RATE = 0.01123 m³/sec
MASS FLOW RATE = 0.01368 kg/sec
ATMOSPHERIC PRESS. & TEMP: 29.97 in. Hg, 63.6 deg F
SLIT LOC. = 123 deg.
WIRE LOC. = 112 deg.
WIRE DIA. = 0.0050 in. Rew = 21
SLIT DISTANCE FROM START OF CURVE (X) = 1.295 m
Re = 144,518
De = 207
Rec = 1417 Reh = 2766
KODAK RECORDING FILM ASA 1,000 (f2.8, B)
```

Contractor activities activities activities




Figure C.17

AND SECTION OF THE PROPERTY OF

```
2100-2300 14 FEB 1987
III-17
13.0 % FLOW (rotameter)
MEAN AIR VELOCITY = 1.825 m/sec
VOLUMETRIC FLOW RATE = 0.01178 m<sup>3</sup>/sec
MASS FLOW RATE = 0.01434 \text{ kg/sec}
ATMOSPHERIC PRESS. & TEMP: 29.97 in. Hg, 63.6 deg F
SLIT LOC. = 123 \text{ deg.}
WIRE LOC. =
                 112 deg.
WIRE DIA. = 0.0050 in. Re_W = 22
SLIT DISTANCE FROM START OF CURVE (X) = 1.295 m
Re_{\mathbf{x}}
           151,501
      =
           217
De
      =
Re_{C} = 1486 Re_{h} = 2899 KODAK RECORDING FILM ASA 1,000 (f2.8, B)
```




Figure C.18

```
III-19 2100-2300 14 FEB 1987
14.0 % FLOW (rotameter)
MEAN AIR VELOCITY = 1.909 m/sec
VOLUMETRIC FLOW RATE = 0.01232 m³/sec
MASS FLOW RATE = 0.01501 kg/sec
ATMOSPHERIC PRESS. & TEMP: 29.97 in. Hg, 63.6 deg F
SLIT LOC. = 123 deg.
WIRE LOC. = 112 deg.
WIRE DIA. = 0.0050 in. Rew = 23
SLIT DISTANCE FROM START OF CURVE (X) = 1.295 m
Rex = 158,484
De = 227
Rec = 1554 Reh = 3033
KODAK RECORDING FILM ASA 1,000 (f2.8, B)
```



Figure C.19

```
III-21 2100-2300 14 FEP 1987
8.0 % FLOW (rotameter)
MEAN AIR VELOCITY = 1.405 m/sec
VOLUMETRIC FLOW RATE = 0.00906 m<sup>3</sup>/sec
MASS FLOW RATE = 0.01104 \text{ kg/sec}
ATMOSPHERIC PRESS. & TEMP: 29.97 in. Hg, 63.6 deg F
SLIT LOC. =
                118 deg.
WIRE LOC.
                112 deg.
WIRE DIA. = 0.0050 in.
                             Re_W = 17
SLIT DISTANCE FROM START OF CURVE (X) = 1.242 \text{ m}
^{\text{Re}}_{\text{De}}\mathbf{x}
          111,846
          167
          1143
                 Re_{h} = 2231
KODAK RECORDING FILM ASA 1,000 (f2.8, B)
```

TO A CONTRACT OF SOCIOLOGICAL STATES OF THE SOCIOLOGICAL OF THE SOCIETA OF T



Figure C.20

```
III-22 2100-2300 14 FEB 1987
9.0 % FLOW (rotameter)
MEAN AIR VELOCITY = 1.489 m/sec
VOLUMETRIC FLOW RATE = 0.00960 m³/sec
MASS FLOW RATE = 0.01170 kg/sec
ATMOSPHERIC PRESS. & TEMP: 29.97 in. Hg, 63.6 deg F
SLIT LOC. = 118 deg.
WIRE LOC. = 112 deg.
WIRE DIA. = 0.0050 in. Rew = 18
SLIT DISTANCE FROM START OF CURVE (X) = 1.242 m
Rex = 118,546
De = 177
Rec = 1212 Reh = 2365
KODAK RECORDING FILM ASA 1,000 (f2.8, B)
```




Figure C.21

```
III-23 2100-2300 14 FEB 1987
10.0 % FLOW (rotameter)
MEAN AIR VELOCITY = 1.573 m/sec
VOLUMETRIC FLOW RATE = 0.01015 m³/sec
MASS FLOW RATE = 0.01236 kg/sec
ATMOSPHERIC PRESS. & TEMP: 29.97 in. Hg, 63.6 deg F
SLIT LOC. = 118 deg.
WIRE LOC. = 112 deg.
WIRE DIA. = 0.0050 in. Rew = 19
SLIT DISTANCE FROM START OF CURVE (X) = 1.242 m
Rex = 125,245
De = 187
Rec = 1280 Reh = 2408
KODAK RECORDING FILM ASA 1,000 (f2.8, B)
```




Figure C.22

```
III-24 2100-2300 14 FEB 1987
11.0 % FLOW (rotameter)
MEAN AIR VELOCITY = 1.657 m/sec
VOLUMETRIC FLOW RATE = 0.01069 \text{ m}^3/\text{sec}
MASS FLOW RATE = 0.01302 \text{ kg/sec}
ATMOSPHERIC PRESS. & TEMP: 29.97 in. Hg, 63.6 deg F
SLIT LOC. =
                118 deg.
WIRE LOC.
            =
                112 deg.
WIRE DIA. = 0.0050 in.
WIRE DIA. = 0.0050 in. Re_W = 20
SLIT DISTANCE FROM START OF CURVE (X) = 1.242 m
Re
De×
          131,944
          197
          1349
                Reh = 2632
KODAK RECORDING FILM ASA 1,000 (f2.8, B)
```



Figure C.23

```
III-25 2100-2300 14 FEB 1987

12.0 % FLOW (rotameter)

MEAN AIR VELOCITY = 1.741 m/sec

VOLUMETRIC FLOW RATE = 0.01123 m³/sec

MASS FLOW RATE = 0.01368 kg/sec

ATMOSPHERIC PRESS. & TEMP: 29.97 in. Hg, 63.5 in.

SLIT LOC. = 118 deg.

WIRE LOC. = 112 deg.

WIRE DIA. = 0.0050 in. Rew = 21

SLIT DISTANCE FROM START OF CURVE (X) = 1...

Rex = 138,643

De = 207

Rec = 1417 Reh = 2766

KODAK RECORDING FILM ASA 1,000 film.
```




Figure C. 24

```
III-26
         2100-2300 14 FEB 1987
13.0 % FLOW (rotameter)
MEAN AIR VELOCITY = 1.825 m/sec
VOLUMETRIC FLOW RATE = 0.01178 m/sec
MASS FLOW RATE = 0.01434 kg/sec
ATMOSPHERIC PRESS. & TEMP: 29.97 in. Hg, 63.6 deg F
SLIT LOC. =
               118 deg.
WIRE LOC. =
               112 deg.
WIRE DIA. =
WIRE DIA. = 0.0050 in. Re_{\rm W} = 22
SLIT DISTANCE FROM START OF CURVE (X) = 1.242 m
Rex
          145,342
           217
Dе
Re_C = 1486 Re_h = 2899 KODAK RECORDING FILM ASA 1,000 (f2.8, B)
                             2899
```




Figure C.25

```
III-27 2100-2300 14 FEB 1987
14.0 % FLOW (rotameter)
MEAN AIR VELOCITY = 1.909 m/sec
VOLUMETRIC FLOW RATE = 0.01232 m<sup>3</sup>/sec
MASS FLOW RATE = 0.01501 kg/sec
ATMOSPHERIC PRESS. & TEMP: 29.97 in. Hg, 63.6 deg F
SLIT LOC. =
                118 deg.
WIRE LOC.
            =
                112 deg.
WIRE DIA. = 0.0050 in. Re_W = 23
SLIT DISTANCE FROM START OF CURVE (X) = 1.242 m
           =
^{\text{Re}}_{\text{De}} x
           152,041
           227
                               3033
Re_C
           1554
                    Reh
KODAK RECORDING FILM ASA 1,000 (f2.8, B)
```

THE STATES OF TH



Figure C.26

III-28 2100-2300 14 FEB 1987 15.0 % FLOW (rotameter) MEAN AIR VELOCITY = 1.993 m/sec VOLUMETRIC FLOW RATE = 0.01286 m/sec MASS FLOW RATE = 0.01567 kg/sec ATMOSPHERIC PRESS. & TEMP: 29.97 in Hg, 63.6 deg F SLIT LOC. = 118 deg. WIRE LOC. 112 deg. WIRE DIA. = 0.0050 in. WIRE DIA. = 0.0050 in. Re $_{\rm W}$  = 24 SLIT DISTANCE FROM START OF CURVE (X) = 1.242 m 158,740  $Re_{x} =$ De 237  $Re_{G}$  = 1623  $Re_{h}$  = 3167 KODAK RECORDING FILM ASA 1,000 (f2.8, B)



Consider appoint surviva

Figure C.27

III-33 2100-2300 14 FEB 1987 8.0 % FLOW (rotameter) MEAN AIR VELOCITY = 1.405 m/sec VOLUMETRIC FLOW RATE = 0.00906 m7sec MASS FLOW RATE = 0.01104 kg/sec ATMOSPHERIC PRESS. & TEMP: 29.97 in. Hg, 63.6 deg F SLIT LOC. = 118 deg. WIRE LOC. = 112 deg. Rew. WIRE DIA. = 0.0125 in. SLIT DISTANCE FROM START OF CURVE (X) = 1.242 m Rex 111,846 Dе 167  $Re_{C}$  = 1143  $Re_{h}$  = 2231 KODAK RECORDING FILM ASA 1,000 (f2.8, B)




Figure C.28

```
III-34 2100-2300 14 FEB 1987
10.0 % FLOW (rotameter)
MEAN AIR VELOCITY = 1.573 m/sec
VOLUMETRIC FLOW RATE = 0.01015 m³/sec
MASS FLOW RATE = 0.01236 kg/sec
ATMOSPHERIC PRESS. & TEMP: 29.97 in. Hg, 63.6 deg F
SLIT LOC. = 118 deg.
WIRE LOC. = 112 deg.
WIRE DIA. = 0.0125 in. Rew = 48
SLIT DISTANCE FROM START OF CURVE (X) = 1.242 m
Rex = 125,245
De = 187
Rec = 1280 Reh = 2498
KODAK RECORDING FILM ASA 1,000 (f2.8, B)
```



Figure C.29

THE PROPERTY OF THE PROPERTY O

2100-2300 14 FEB 1987 III-35 12.0 % FLOW (rotameter) MEAN AIR VELOCITY = 1.74 m/sec VOLUMETRIC FLOW RATE = 0.01123 mysec MASS FLOW RATE = 0.01368 kg/sec ATMOSPHERIC PRESS. & TEMP: 29.97 in. Hg, 63.6 deg F SLIT LOC. = 118 deg. WIRE LOC. = 112 deg. WIRE DIA. = 0.0125 in. Rew = 53 SLIT DISTANCE FROM START OF CURVE (X) = 1.242 m WIRE DIA. = 0.0125 in.  $Re_{\mathbf{x}}$ 138,643 207 De  $Re_{G}$  = 1417  $Re_{h}$  = 2766 KODAK RECORDING FILM ASA 1,000 (f2.8, B)



Figure C.30

```
III-36 2100-2300 14 FEB 1987
41.0 % FLOW (rotameter)
MEAN AIR VELOCITY = 1.909 m/sec
VOLUMETRIC FLOW RATE = 0.01232 m/sec
MASS FLOW RATE = 0.01501 kg/sec
ATMOSPHERIC PRESS. & TEMP: 29.97 in. Hg, 63.6 deg F
SLIT LOC. = 118 deg.
WIRE LOC. = 112 deg.
WIRE DIA. = 0.0125 in. Rew = 58
SLIT DISTANCE FROM START OF CURVE (%) = 1.242 m
Re = 152.041
De = 227
Rec = 1554 Reh = 3033
KODAK RECORDING FILM ASA 1.000 (f2.8, B)
```

See Section .




Figure C.31

```
IV-1 2100-2330 15 FEB 1987
8.0 % FLOW (rotameter)
MEAN AIR VELOCITY = 1.405 m/sec
VOLUMETRIC FLOW RATE = 0.00906 \text{ m}^3/\text{sec}
MASS FLOW RATE = 0.01104 kg/sec
ATMOSPHERIC PRESS. & TEMP: 30.24 in. Hg, 64.0 deg F
SLIT LOC. = 118 deg
WIRE LOC. =
             112 deg.
WIRE DIA. = 0.0125 in.
                             Rew = 43
SLIT DISTANCE FROM START OF CURVE (X) = 1.242 \text{ m}
          111,846
Rex
          167
De
Re_C = 1143 Re_h = 2231 KODAK RECORDING FILM ASA 1,000 (f2.8, B)
```

THE PROPERTY OF THE PROPERTY O



Figure C.32

```
IV-3 2100-2330 15 FEB 1987
8.0 % FLOW (rotameter)
MEAN AIR VELOCITY = 1.405 m/sec
VOLUMETRIC FLOW RATE = 0.00906 m³/sec
MASS FLOW RATE = 0.01104 kg/sec
ATMOSPHERIC PRESS. & TEMP: 30.24 in. Hg, 64.0 deg F
SLIT LOC. = 118 deg.
WIRE LOC. = 112 deg.
WIRE DIA. = 0.0125 in. Rew = 43
SLIT DISTANCE FROM START OF CURVE (X) = 1.242 m
Rex = 111,846
De = 167
Rec = 1143 Reh = 2231
KODAK RECORDING FILM ASA 1,000 (f2.8, B)
```




Figure C.33

```
IV-4 2100-2330 15 FEB 1987
8.0 % FLOW (rotameter)
MEAN AIR VELOCITY = 1.405 m/sec
VOLUMETRIC FLOW RATE = 0.00906 m<sup>3</sup>/sec
MASS FLOW RATE = 0.01104 kg/sec
ATMOSPHERIC PRESS. & TEMP: 30.24 in. Hg, 64.0 deg F
SLIT LOC. = 118 \text{ deg.}
WIRE LOC. = 112 deg.
WIRE DIA. = 0.0125 in.
                          Re_W =
                                  43
SLIT DISTANCE FROM START OF CURVE (X) = 1.242 m
          111,846
Re<sub>X</sub> =
De
          167
          1143
                   Reh = 2231
KODAK RECORDING FILM ASA 1,000 (f2.8, B)
```



Figure C.34

```
IV-5 2100-2330 15 FEB 1987
9.0 % FLOW (rotameter)
MEAN AIR VELOCITY = 1.489 m/sec
VOLUMETRIC FLOW RATE = 0.00960 m³/sec
MASS FLOW RATE = 0.01170 kg/sec
ATMOSPHERIC PRESS. & TEMP: 30.24 in. Hg, 64.0 deg F
SLIT LOC. = 118 deg.
WIRE LOC. = 112 deg.
WIRE DIA. = 0.0125 in. Rew = 43
SLIT DISTANCE FROM START OF CURVE (X) = 1.242 m
Rex = 118,546
De = 177
Rec = 1212 Reh = 2365
KODAK RECORDING FILM ASA 1,000 (f2.8, B)
```



Figure C.35

```
IV-6 2100-2330 15 FEB 1987
9.0 % FLOW (rotameter)
MEAN AIR VELOCITY = 1.489 m/sec
VOLUMETRIC FLOW RATE = 0.00960 m³/sec
MASS FLOW RATE = 0.01170 kg/sec
ATMOSPHERIC PRESS. & TEMP: 30.24 in. Hg, 64.0 deg F
SLIT LOC. = 118 deg.
WIRE LOC. = 112 deg.
WIRE DIA. = 0.0125 in. Rew = 45
SLIT DISTANCE FROM START OF CURVE (X) = 1.242 m
Rex = 118,546
De = 177
Rec = 1212 Reh = 2365
KODAK RECORDING FILM ASA 1,000 (f2.8, B)
```

COURT RESCOURSE CONTRACTOR OF THE SECOND




Figure C.36

IV-7 2100-2330 15 FEB 1987

10.0 % FLOW (rotameter)

MEAN AIR VELOCITY = 1.573 m/sec

VOLUMETRIC FLOW RATE = 0.01015 m³/sec

MASS FLOW RATE = 0.01236 kg/sec

ATMOSPHERIC PRESS. & TEMP: 30.24 in. Hg, 64.0 deg F

SLIT LOC. = 118 deg.

WIRE LOC. = 112 deg.

WIRE DIA. = 0.0125 in. Rew = 48


SLIT DISTANCE FROM START OF CURVE (X) = 1.242 m

Rex = 125,245

De = 187

Rec = 1280 Reh = 2487

KODAK RECORDING FILM ASA 1,000 (f2.8, B)



THE STREET SERVICE SERVICES OF THE STREET OF THE STREET, THE STREE

Figure C.37

```
IV-8 2100-2330 15 FEB 1987
10.0 % FLOW (rotameter)
MEAN AIR VELOCITY = 1.573 m/sec
VOLUMETRIC FLOW RATE = 0.01015 m³/sec
MASS FLOW RATE = 0.01236 kg/sec
ATMOSPHERIC PRESS. & TEMP: 30.24 in. Hg, 64.0 deg F
SLIT LOC. = 118 deg.
WIRE LOC. = 112 deg.
WIRE DIA. = 0.0125 in. Rew = 48
SLIT DISTANCE FROM START OF CURVE (X) = 1.242 m
Rex = 125,245
De = 187
Rec = 1280 Reh = 2498
KODAK RECORDING FILM ASA 1,000 (f2.8, B)
```




Figure C.38

AND ALLEGICAL CONTRACTOR OF THE PROPERTY OF TH

IV-9 2100-2330 15 FEB 1987 8.0 % FLOW (rotameter) MEAN AIR VELOCITY = 1.405 m/sec VOLUMETRIC FLOW RATE = 0.00906 m<sup>3</sup>/sec MASS FLOW RATE = 0.01104 kg/sec ATMOSPHERIC PRESS. & TEMP: 30.24 in. Hg, 64.0 deg F SLIT LOC. = 139 deg. WIRE LOC. = 112 deg. WIRE DIA. = 0.0125 in.  $Re_W = 43$ SLIT DISTANCE FROM START OF CURVE (X) = 1.463 m WIRE DIA. = 0.0125 in.  $^{\text{Re}}\mathbf{x}$ 131,751 167 De  $Re_{\mathbf{C}}$ 1143 Reh = 2231 KODAK RECORDING FILM ASA 1,000 (f2.8, B)




Figure C.39

```
IV-11 2100-2330 15 FEB 1987
8.0 % FLOW (rotameter)
MEAN AIR VELOCITY = 1.405 m/sec
VOLUMETRIC FLOW RATE = 0.00906 m<sup>3</sup>/sec
MASS FLOW RATE = 0.01104 kg/sec
ATMOSPHERIC PRESS. & TEMP: 30.24 in. Hg, 64.0 deg F
SLIT LOC. = 139 deg.
WIRE LOC. = 112 deg.
WIRE DIA. = 0.0125 in. Re_{\rm W} = 43 SLIT DISTANCE FROM START OF CURVE (X) = 1.463 m
Rex =
           131,751
            167
De
                     Re_h = 2231
Re_C = 1143 Re_h = 2231 KODAK RECORDING FILM ASA 1,000 (f2.8, B)
            1143
```




Figure C.40

IV-12 2100-2330 15 FEB 1987
8.0 % FLOW (rotameter)
MEAN AIR VELOCITY = 1.405 m/sec
VOLUMETRIC FLOW RATE = 0.00906 m/sec
MASS FLOW RATE = 0.01104 kg/sec
ATMOSPHERIC PRESS. & TEMP: 30.24 in. Hg, 64.0 deg F
SLIT LOC. = 139 deg.
WIRE LOC. = 112 deg.
WIRE DIA. = 0.0125 in. Rew = 43
SLIT DISTANCE FROM START OF CURVE (X) = 1.463 m
Rex = 131,751
De = 167
Rec = 1143 Reh = 2231
KODAK RECORDING FILM ASA 1,000 (f2.8, B)

property economic control control property assistant



Figure C.41

and a teas so sold secondicided and sold to sold to sold be seconded and sold and seconded and sold and second

```
IV-13 2100-2330 15 FEB 1987
9.0 % FLOW (rotameter)
MEAN AIR VELOCITY = 1.489 m/sec
VOLUMETRIC FLOW RATE = 0.00960 \text{ m}^3/\text{sec}
MASS FLOW RATE = 0.01170 kg/sec
ATMOSPHERIC PRESS. & TEMP: 30.24 in. Hg, 64.0 deg F
SLIT LOC. = 139 deg.
WIRE LOC. =
              112 deg.
WIRE DIA. =
WIRE DIA. = 0.0125 in. Re_w = 45
SLIT DISTANCE FROM START OF CURVE (X) = 1.463 m
              0.0125 in.
Rex
           139,643
           177
Dе
Re_C
           1212
                         = 2365
                    Reh
KODAK RECORDING FILM ASA 1,000 (f2.8, B)
```



Figure C.42

IV-14 2100-2330 15 FEB 1987

9.0 % FLOW (rotameter)

MEAN AIR VELOCITY = 1.489 m/sec

VOLUMETRIC FLOW RATE = 0.00960 m/sec

MASS FLOW RATE = 0.01170 kg/sec

ATMOSPHERIC PRESS. & TEMP: 30.24 in. Hg, 64.0 deg F

SLIT LOC. = 139 deg.

WIRE LOC. = 112 deg.

WIRE DIA. = 0.0125 in. Rew = 45

SLIT DISTANCE FROM START OF CURVE (X) = 1.463 m

Rex = 139.643

De = 177

Rec = 1212 Reh = 2365

KODAK RECORDING FILM ASA 1,000 (f2.8, B)



Figure C.43

```
IV-15 2100-2330 15 FEB 1987
10.0 % FLOW (rotameter)
MEAN AIR VELOCITY = 1.573 m/sec
VOLUMETRIC FLOW RATE = 0.01015 m³/sec
MASS FLOW RATE = 0.01236 kg/sec
ATMOSPHERIC PRESS. & TEMP: 30.24 in. Hg, 64.0 deg F
SLIT LOC. = 139 \text{ deg.}
WIRE LOC. = 112 deg.
WIRE DIA. = 0.0125 in. Rew = 48
SLIT DISTANCE FROM START OF CURVE (X) = 1.463 m
Re
De
          147,534
          187
Rec =
          1280
                 Reh = 2498
KODAK RECORDING FILM ASA 1,000 (f2.8, B)
```




Figure C.44

IV-16 2100-2330 15 FEB 1987
10.0 % FLOW (rotameter)
MEAN AIR VELOCITY = 1.573 m/sec
VOLUMETRIC FLOW RATE = 0.01015 m³/sec
MASS FLOW RATE = 0.01236 kg/sec
ATMOSPHERIC PRESS. & TEMP: 30.24 in. Hg, 64.0 deg F
SLIT LOC. = 139 deg.
WIRE LOC. = 112 deg.
WIRE DIA. = 0.0125 in. Rew = 48
SLIT DISTANCE FROM START OF CURVE (X) = 1.463 m
Rex = 147.534
De = 187
Rec = 1280 Reh = 2498
KODAK RECORDING FILM ASA 1,000 (f2.8, B)



Figure C.45

Sees assessed to see the seese and seed and the seese and seese assessed and seese assessed and seese assessed

IV-17 2100-2330 15 FEB 1987 11.0 % FLOW (rotameter) MEAN AIR VELOCITY = 1.657 m/sec VOLUMETRIC FLOW RATE = 0.01069 m/sec MASS FLOW RATE = 0.01302 kg/sec ATMOSPHERIC PRESS. & TEMP: 30.24 in. Hg, 64.0 deg F SLIT LOC. = 139 deg. 112 deg. WIRE LOC. = 0.0125 in.  $Re_W =$ WIRE DIA. = SLIT DISTANCE FROM START OF CURVE (X) = 1.463 m Rex 155,425 197 De  $Re_C = 1349$   $Re_h = 2632$ KODAK RECORDING FILM ASA 1,000 (f2.8, B) 1349



Figure C.46

```
IV-19 2100-2330 15 FEB 1987
12.0 % FLOW (rotameter)
MEAN AIR VELOCITY = 1.741 m/sec
VOLUMETRIC FLOW RATE = 0.01123 m³/sec
MASS FLOW RATE = 0.01368 kg/sec
ATMOSPHERIC PRESS. & TEMP: 30.24 in. Hg, 64.0 deg F
SLIT LOC. = 139 deg.
WIRE LOC. = 112 deg.
WIRE DIA. = 0.0125 in. Rew = 53
SLIT DISTANCE FROM START OF CURVE (X) = 1.463 m
Rex = 163,317
De = 207
Rec = 1417 Reh = 2706
KODAK RECORDING FILM ASA 1.000 (f2.8, B)
```



Figure C.47

IV-21 2100-2330 15 FEB 1987
13.0 % FLOW (rotameter)
MEAN AIR VELOCITY = 1.825 m/sec
VOLUMETRIC FLOW RATE = 0.01178 m³/sec
MASS FLOW RATE = 0.01434 kg/sec
ATMOSPHERIC PRESS. & TEMP: 30.24 in. Hg, 64.0 deg F
SLIT LOC. = 139 deg.
WIRE LOC. = 112 deg.
WIRE DIA. = 0.0125 in. Rew = 56
SLIT DISTANCE FROM START OF CURVE (X) = 1.463 m
Rex = 171,208
De = 217
Rec = 1486 Reh = 2899
KODAK RECORDING FILM ASA 1,000 (f2.8, B)




Figure C.48

```
IV-23 2100-2300 15 FEB 1987
14.0 % FLOW (rotameter)
MEAN AIR VELOCITY = 1.909 m/sec
VOLUMETRIC FLOW RATE = 0.01232 m³/sec
MASS FLOW RATE = 0.01501 kg/sec
ATMOSPHERIC PRESS. & TEMP: 30.24 in. Hg, 64.0 deg F
SLIT LOC. = 139 deg.
WIRE LOC. = 112 deg.
WIRE DIA. = 0.0125 in. Rew = 58
SLIT DISTANCE FROM START OF CURVE (%) = 1.463 m
Rex = 179,099
De = 227
Rec = 1554 Reh = 3033
KODAK RECORDING FILM ASA 1,000 (f2.8, B)
```

A Moderated Discourse



Figure C.49

```
IV-25 2100-2300 15 FEB 1987
15.0 % FLOW (rotameter)
MEAN AIR VELOCITY = 1.993 m/sec
VOLUMETRIC FLOW RATE = 0.01286 m³/sec
MASS FLOW RATE = 0.01567 kg/sec
ATMOSPHERIC PRESS. & TEMP: 30.24 in. Hg, 64.0 deg F
SLIT LOC. = 139 deg.
WIRE LOC. = 112 deg.
WIRE DIA. = 0.0125 in. Rew = 61
SLIT DISTANCE FROM START OF CURVE (X) = 1.463 m
Rex = 186.99
De = 237
Rec = 1623 Reh = 3167
KODAK RECORDING FILM ASA 1,000 (f2.8, B)
```




Figure C.50

```
IV-27 2100-2330 15 FEB 1987
15.0 % FLOW (rotameter)
MEAN AIR VELOCITY = 1.993 m/sec
VOLUMETRIC FLOW RATE = 0.01286 m³/sec
MASS FLOW RATE = 0.01567 kg/sec
ATMOSPHERIC PRESS. & TEMP: 30.24 in. Hg, 64.0 deg F
SLIT LOC. = 139 deg.
WIRE LOC. = 112 deg.
WIRE DIA. = 0.0125 in. Rew = 61
SLIT DISTANCE FROM START OF CURVE (X) = 1.463 m
Rex = 186,991
De = 237
Rec = 1623 Reh = 3167
KODAK RECORDING FILM ASA 1,000 (f2.8, B)
```

## LIST OF REFERENCES

- 1. Dean, W.R., "Fluid Motion in a Curved Channel,"

  Proceedings of the Royal Society of London, Series A,

  Vol. 121, pp. 402-420, 1928.
- 2. Taylor, G.I., "Stability of a Viscous Liquid Contained Between Two Rotating Cylinders," Philosophical Transactions of the Royal Society of London, Series A, Vol. 223, pp. 289-343, 1923.
- Göertler, H., "On the Three Dimensional Instability of Laminar Boundary Layers on Concave Walls," NACA TM 1375, 1942.
- 4. Holihan, R.G., Jr., <u>Investigation of Heat Transfer in Straight and Curved Rectangular Ducts for Laminar and Transition Flows</u>, Master's Thesis, Naval Postgraduate School, Monterey, California, June 1981.
- 5. McKee, R.J., An Experimental Study of Taylor-Göertler Vortices in a Rectangular Channel, Eng. Thesis, Naval Postgraduate School, Monterey, California, June 1973.
- 6. Durao, M. do Carmo, <u>Investigation of Heat Transfer in Straight and Curved Rectangular Ducts Using Liquid Crystal Thermography</u>, Eng. Thesis, Naval Postgraduate School, Monterey, California, June 1977.
- 7. Ballard, J.C. III, <u>Investigation of Heat Transfer in Straight and Curved Rectangular Ducts</u>, Master's Thesis, Naval Postgraduate School, Monterey, California, September 1980.

THE SECOND PROCESS OF THE SECOND PROCESS OF

- 8. Daughety, S.F., Experimental Investigation of Turbulent Heat Transfer in Straight and Curved Rectangular Ducts, Master's Thesis, Naval Postgraduate School, Monterey, California, September 1983.
- 9. Wilson, J.L., Experimental Investigation of Turbulent Heat Transfer in Straight and Curved Rectangular Ducts,
  Master's Thesis, Naval Postgraduate School, Monterey,
  California, December 1984.
- 10. Galyo, G.G., Experimental Investigation of Turbulent Heat Transfer in Straight and Curved Rectangular Ducts, Master's Thesis, Naval Postgraduate School, Monterey, California, December 1985.

- 11. Kelleher, M.D., Flentie, D.L., and McKee, R.J., "An Experimental Study of the Secondary Flow in a Curved Rectangular Channel," <u>Journal of Fluids Engineering</u>, Vol. 101, pp. 92-96, March 1980.
- 12. Finlay, W.H., Keller, J.B., and Ferziger, J.H., <u>Finite Amplitude Vortices in Curved Channel Flow</u>, Department of Mechanical Engineering, Stanford University, Stanford, California, 1986.
- 13. Mehta, R.D., and Bradshaw, P., "Design Rules for Small Low Speed Wind Tunnels," <u>The Aeronautical Journal of the Royal Aeronautical Society</u>, Vol. 83, pp. 443-449, November 1979.
- 14. Streeter, V.L., and Wylie, E.B., Fluid Mechanics, 8th edition, p. 189, McGraw Hill, 1985.
- 15. Han, L.S., "Hydrodynamic Entrance Lengths for Incompressible Laminar Flow in Rectangular Ducts," <u>Journal of Applied Mechanics</u>, Vol. 27, pp. 403-410, September 1960.
- 16. Fox, R.W., and Kline, S.J., "Flow Regime Data and Design Methods for Curved Subsonic Diffusers," Trans. ASME Journal of Basic Engineering, Ser. D., Vol. 84, pp. 303-312, 1962.
- 17. Schlichting, H., Boundary Layer Theory, 7th Edition, pp. 16-18, McGraw Hill, 1979.
- 18. Holman, J.P., and Gajda, W.J., Jr., Experimental Methods for Engineers, 4th Edition, pp. 238-247, McGraw Hill, 1984.
- 19. ASME Power Test Codes Committee, <u>ASME Power Test Codes</u> (Supplement on Instruments and Apparatus), part 5, Chapter 4, p. 25, American Society of Mechanical Engineers, 1959.
- 20. Westphal, R.V., Johnston, J.P., Eaton, J.K., Experimental Study of Flow Reattachment in a Single Sided Sudden Expansion, NASA Contractor Report 3765, pp. 187-194, January 1984.

## INITIAL DISTRIBUTION LIST

		No. Copies
1.	Defense Technical Information Center Cameron Station Alexandria, Virginia 22304-6145	2
2.	Library, Code 0142 Naval Postgraduate School Monterey, California 93943-5002	2
3.	Department Chairman, Code 69 Department of Mechanical Engineering Naval Postgraduate School Monterey, California 93943	1
4.	Associate Professor P.M. Ligrani, Code 69Li Department of Mechanical Engineering Naval Postgraduate School Monterey, California 93943	6
5.	Mail Stop 5-11 Dr. Kestutis Civinskas Propulsion Directorate U.S. Army Aviation Research and Technology Activity - AVSCOM NASA - Lewis Research Center 21000 Brookpark Road Cleveland, Ohio 45433	4
6.	LCDR M. A. Siedband, USN 5821 Dorsett Dr.	2